


BATHROOM
EXPERIENCE

—

BATHROOM EXPERIENCE



2



A SITE RICH IN IDEAS

NDW is a Swiss company located in the Swiss Canton of the Grisons. The site was carefully chosen because of its significant impact on our activities.

Switzerland possesses a tradition of technological excellence in the field of precision mechanics, and a culture of respect for the environment, that NDW has completely embraced, managing to implement a “zero pollution” production.

NEW HORIZONS

Accessories, components, mechanisms and decorative elements: NDW has created a series of designing platforms for bathrooms and kitchens, real engines that are technologically advanced and tested which can be employed in infinite applications. Infinite shapes. Infinite models.

This project is the cornerstone of NDW, a company that exports its products all over the world. It was established by Fabrizio Nobili in 1999.





SWITCH System
Opening/closing for columns and SwissBox + flow control.



Flow control
for Hand showers.



Flow control
for shower heads.



Flow control
for bathtub.



TOUCH Selector
It is sufficient to press the Hand shower push button to change the jet, to be able to enjoy the benefits of the water.



Anti-limescale nozzles
Lime-scale deposits are removed quickly and effectively by rubbing the soft silicon aerator and ensuring a longer life of NDW products.

4



Adjustable shower head
The shower head ball joint makes it easy to tilt the shower for the ideal direction. adjustable.



Cuttable hose
The possibility to cut the lower part of the metallic bar permits an optimal and customised installation.



CoolTouch mixer
Thanks to an innovative technology that cools the surfaces of the thermostatic mixer, it is possible to enjoy an even safer shower area.



Adjustable
The height of the Hand shower holder of the bar can be easily adjusted thanks to an automatic guide system, for optimal use of the shower space.



Tilttable
The Hand shower holder of the bar slides for the best use the shower space.



Adjustable brackets
The bar wall brackets are adjustable to ensure a top quality installation and finishing. Ideal for remodel jobs.



Brass material



Injected ABS material




Stainless steel material




rain

A relaxing rain spray with revitalising freshness. Powerful, structured spray, gentle and delicate on the skin for a relaxing effect.




massage

Massaging spray to relieve tension, in particular around the neck and shoulders. Precise and vigorous, with a revitalising effect, ideal for stimulating circulation and offering the sensation of a real massage by hand.




mix

Rain spray combined with a massaging spray; the pleasant sensation offered by a gentle spray of water mixed with a stronger and toning spray.



powder
jet

Spray formed of thousands of ultra small drops, which embrace the body in a gentle cloud of well-being. Enriched with air, the relaxing rain spray creates a delicate and complete effect.



aerated
waterfall

The waterfall spray provides an invigorating sensation on the skin.



CH - CHROME



MB - MATTE BLACK



BN - MATTE BRUSHED
NICKEL



MG - MATTE BRUSHED GOLD
Available starting June 2026



BC - MATTE BRUSHED COPPER
Available starting June 2026



BR - BRUSHED ROSE
Available starting June 2026



GM - GUN METAL
Available starting October 2026




B - GLOSSY BLACK

GLASS FINISHES



B - GLOSSY BLACK



W - WHITE

UNIVERS MITIGEURS

- 8 PRIMIS Line
- 13 STELO Line
- 14 ONE for ALL
- 32 SENTRY Line
- 36 ANUBI Line

SHOWERS

- 42 Hand shower
- 48 Prises d'eau et Supports douchettes
- 50 Sets de douche
- 57 Barres de douche
- 59 Combi de douche
- 60 SHOWER COLUMNS
- 88 THERMOSTATIC SHOWER MIXERS
- 94 SHOWER COLUMNS for Espace Extérieur - 100% Stainless steel

BUILT-IN SHOWERS


- 96 SWISSBOX MIXER
- 98 COMPLETE KITS SWISSBOX
- 104 Mitigeurs Thermostatiques Douches Encastrés
- 105 Douches de têtes
- 106 Ciel De Rain Chromotherapie
- 112 Becs for Baignoires et
- 115 SHOWER ARMS
- 116 Hoses
- 116 Prises d'eau
- 118 Accessories Douche

SPARE PARTS

- 120 Built-in box body
- 124 Front plate and rosette
- 129 Aesthetic

132 BATHROOM ACCESSORIES


138 PIÈCES DÉTACHÉES



-  PM11028/CH
-  PM11028/MB
-  PM11028/BN
-  PM11028/MG
-  PM11028/BC
-  PM11028/BR
-  PM11028/GM

**Washbasin mixer
with off-centre drain lever**


- Height 168 mm
- Height from the aerator: 97 mm
- Anti-limescale aerator - Flow rate 6L/mn
- 450 mm stainless steel hoses
- Manual drain in brass



-  PM11029/CH
-  PM11029/MB
-  PM11029/BN
-  PM11029/MG
-  PM11029/BC
-  PM11029/BR
-  PM11029/GM

**Washbasin mixer
with click-clack drain**

- Height 168 mm
- Height from the aerator: 97 mm
- Anti-limescale aerator - Flow rate 6L/mn
- 450 mm stainless steel hoses
- Manual click-clack drain in brass
- Waste supplied with system for free flow drain




PRIMIS



- PM12029/CH
- PM12029/MB
- PM12029/BN
- PM12029/MG
- PM12029/BC
- PM12029/BR
- PM12029/GM

Washbasin mixer WITHOUT drain


- Height 168 mm
- Height from the aerator: 97 mm
- Anti-limescale aerator - Flow rate 6L/mn
- 450 mm stainless steel hoses



- PM11030/CH
- PM11030/MB
- PM11030/BN
- PM11030/MG
- PM11030/BC
- PM11030/BR
- PM11030/GM

Washbasin mixer with high spout and click-clack drain - Single body


- Height 324 mm
- Height from the aerator: 253 mm
- Anti-limescale aerator - Flow rate 6L/mn
- 600 mm stainless steel hoses
- Manual click-clack drain in brass
- Waste supplied with system for free flow drain



- PM12030/CH
- PM12030/MB
- PM12030/BN
- PM12030/MG
- PM12030/BC
- PM12030/BR
- PM12030/GM

Washbasin mixer with high spout and WITHOUT drain - Single body

- Height 324 mm
- Height from the aerator: 253 mm
- Anti-limescale aerator - Flow rate 6L/mn
- 600 mm stainless steel hoses



10

MECHANICAL MIXERS




PRIMIS



-  PM11027/CH
-  PM11027/MB
-  PM11027/BN
-  PM11027/MG
-  PM11027/BC
-  PM11027/BR
-  PM11027/GM

Bidet mixer with off-centre drain lever








- Height 152 mm
- Height from the aerator: 85 mm
- Anti-limescale aerator - Flow rate 5L/mn
- 450 mm stainless steel hoses
- Manual drain in brass



-  PM11036/CH
-  PM11036/MB
-  PM11036/BN
-  PM11036/MG
-  PM11036/BC
-  PM11036/BR
-  PM11036/GM

Wall-mount mechanical washbasin mixer with built-in box and Stainless steel plate, complete with built-in body

- Spout length: Min. 258 - Max. 326 mm
- Dimension of the metallic plate: 206x100 mm
- Built-in box Min. 52 - Max. 82 mm
- Anti-limescale aerator - Flow rate 5L/mn
- Without drain



-  PM11036/Q/CH
-  PM11036/Q/MB
-  PM11036/Q/BN
-  PM11036/Q/MG
-  PM11036/Q/BC
-  PM11036/Q/BR
-  PM11036/Q/GM

Wall-mount mechanical washbasin mixer with built-in box and Stainless steel plate, complete with built-in body




- Spout length: Min. 258 - Max. 326 mm
- Dimension of the metallic plate: 206x100 mm
- Built-in box Min. 52 - Max. 82 mm
- Anti-limescale aerator - Flow rate 5L/mn
- Without drain



-  PM11035/CH
-  PM11035/MB
-  PM11035/BN
-  PM11035/MG
-  PM11035/BC
-  PM11035/BR
-  PM11035/GM


Wall-mount mechanical basin mixer WITHOUT built-in box and with 2 stainless steel plates, complete with built-in body

- Spout length: Min. 254 - Max. 322 mm
- Dimension of the metallic plates: 70 mm
- Built-in box Min. 52 - Max. 82 mm
- Anti-limescale aerator - Flow rate 5L/mn
- Without drain



12




MECHANICAL MIXERS



-  PM11035/Q/CH
-  PM11035/Q/MB
-  PM11035/Q/BN
-  PM11035/Q/MG
-  PM11035/Q/BC
-  PM11035/Q/BR
-  PM11035/Q/GM

Wall-mount mechanical basin mixer WITHOUT built-in box and with 2 stainless steel plates, complete with built-in body

- Spout length: Min. 254 - Max. 322 mm
- Dimension of the metallic plates: 70x70 mm
- Built-in box Min. 52 - Max. 82 mm
- Anti-limescale aerator - Flow rate 5L/mn
- Without drain






-  PM11083/CH
-  PM11083/MB
-  PM11083/BN
-  PM11083/MG
-  PM11083/BC
-  PM11083/BR
-  PM11083/GM

Basin mixer STELO without drain


- With brass built-in body
- 1/2" connections Min. 46 - Max. 76 mm
- Spout length Min. 187 - 217 mm
- Metal joystick control handle
- Anti-limescale aerator - Flow rate 5L/mn
- Without drain



-  PM11084/CH
-  PM11084/MB
-  PM11084/BN
-  PM11084/MG
-  PM11084/BC
-  PM11084/BR
-  PM11084/GM

Basin mixer STELO without drain

- With brass built-in body
- 1/2" connections Min. 46 - Max. 76 mm
- Spout length Min. 222 - 252 mm
- Metal joystick control handle
- Anti-limescale aerator - Flow rate 5L/mn
- Without drain








ONE FOR ALL



- PM11038/CH
- PM11038/MB
- PM11038/BN
- PM11038/MG
- PM11038/BC
- PM11038/BR
- PM11038/GM

Wall-mount push button valve washbasin mixer with built-in body and box - 1 Stainless steel plate

- Spout length: Min. 258 - Max. 326 mm
- Metallic push button handle: Opening - Closing + Flow control + Temperature control
- Dimension of the metallic plate: 206x100 mm
- Built-in box Min. 55 - Max. 85 mm
- Anti-limescale aerator - Flow rate 5L/mn
- Without drain



14

MECHANICAL MIXERS






ONE FOR ALL



- PM11038/Q/CH
- PM11038/Q/MB
- PM11038/Q/BN
- PM11038/Q/MG
- PM11038/Q/BC
- PM11038/Q/BR
- PM11038/Q/GM

Wall-mount push button valve washbasin mixer with built-in body and box - 1 Stainless steel plate

- Spout length: Min. 258 - Max. 326 mm
- Metallic push button handle: Opening - Closing + Flow control + Temperature control
- Dimension of the metallic plate: 206x100 mm
- Built-in box Min. 55 - Max. 85 mm
- Anti-limescale aerator - Flow rate 5L/mn
- Without drain









- PM11037/CH
- PM11037/MB
- PM11037/BN
- PM11037/MG
- PM11037/BC
- PM11037/BR
- PM11037/GM

Wall-mount push button valve washbasin mixer with built-in body WITHOUT box - 2 Stainless steel plates complete with built-in body




- Spout length: Min.254 - Max.322 mm
- Metallic push button handle: Opening - Closing + Flow control + Temperature control
- Dimension of the metallic plates: 70 mm
- Built-in box Min.52 - Max.82 mm
- Anti-limescale aerator - Flow rate 5L/mn
- Without drain



- PM11037/Q/CH
- PM11037/Q/MB
- PM11037/Q/BN
- PM11037/Q/MG
- PM11037/Q/BC
- PM11037/Q/BR
- PM11037/Q/MG

Wall-mount push button valve washbasin mixer with built-in body WITHOUT box - 2 Stainless steel plates complete with built-in body


- Spout length: Min.254 - Max.322 mm
- Metallic push button handle: Opening - Closing + Flow control + Temperature control
- Dimension of the metallic plates: 70x70 mm
- Built-in box Min.52 - Max.82 mm
- Anti-limescale aerator - Flow rate 5L/mn
- Without drain






- PM09090/CH
- PM09090/MB
- PM09090/BN
- PM09090/MG
- PM09090/BC
- PM09090/BR
- PM09090/GM

Siphon in stainless steel - Round
 - Outlet connection dimensions: 1 1/4"
 - Adjustment distance from 72 to 177 mm
 - Distance from the wall: 350 mm




- PM09091/CH
- PM09091/MB
- PM09091/BN
- PM09091/MG
- PM09091/BC
- PM09091/BR
- PM09091/GM

Siphon in stainless steel - Square
 - Outlet connection dimensions: 1 1/4"
 - Adjustment distance from 77 to 177 mm
 - Distance from the wall: 345 mm




- PM11032/CH
- PM11032/MB
- PM11032/BN
- PM11032/MG
- PM11032/BC
- PM11032/BR
- PM11032/GM

Complete built-in mechanical shower mixer with adjustable built-in body
 - With built-in box Min. 48 - Max. 78 mm
 - 1 function
 - Chrome-plated stainless steel front plate diameter 100 mm




PRIMIS



-  PM11032/Q/CH
-  PM11032/Q/MB
-  PM11032/Q/BN
-  PM11032/Q/MG
-  PM11032/Q/BC
-  PM11032/Q/BR
-  PM11032/Q/GM

Complete built-in mechanical shower mixer with adjustable built-in body



- With built-in box Min. 48 - Max. 78 mm
- 1 function
- Chrome-plated stainless steel front plate 100x100 mm



-  PM11031/CH
-  PM11031/MB
-  PM11031/BN
-  PM11031/MG
-  PM11031/BC
-  PM11031/BR
-  PM11031/GM

Complete built-in mechanical shower mixer complete WITHOUT cuttable box


- With built-in box Min. 26 - Max. 56 mm
- 1 function
- Chrome-plated stainless steel front plate diameter 70 mm



-  PM11031/Q/CH
-  PM11031/Q/MB
-  PM11031/Q/BN
-  PM11031/Q/MG
-  PM11031/Q/BC
-  PM11031/Q/BR
-  PM11031/Q/GM

Complete built-in mechanical shower mixer complete WITHOUT cuttable box

- With built-in box Min. 26 - Max. 56 mm
- 1 function
- Chrome-plated stainless steel front plate 70x70 mm






-  PM11034/CH
-  PM11034/MB
-  PM11034/BN
-  PM11034/MG
-  PM11034/BC
-  PM11034/BR
-  PM11034/GM

Built-in shower mixer with OneForAll button and mechanical temperature regulation

- With built-in box and cuttable box:
Min. 51 mm - Max. 81 mm
- 1 function
- Chrome-plated stainless steel front plate
diameter 100 mm
- Metal push-button handle
- Flow rate Min. 4L/mn - Max. 20L/mn



ONE FOR ALL




18



-  PM11034/Q/CH
-  PM11034/Q/MB
-  PM11034/Q/BN
-  PM11034/Q/MG
-  PM11034/Q/BC
-  PM11034/Q/BR
-  PM11034/Q/GM

Built-in shower mixer with OneForAll button and mechanical temperature regulation

- With built-in box and cuttable box:
Min. 51 mm - Max. 81 mm
- 1 function
- Stainless steel front plate 100x100 mm
- Metal push-button handle
- Flow rate Min. 4L/mn - Max. 20L/mn



ONE FOR ALL




MECHANICAL MIXERS



-  PM11033/CH
-  PM11033/MB
-  PM11033/BN
-  PM11033/MG
-  PM11033/BC
-  PM11033/BR
-  PM11033/GM

Built-in shower mixer with OneForAll push button and mechanical temperature regulation WITHOUT cuttable box

- With built-in box: Min. 26 mm - Max. 56 mm
- 1 function
- Stainless steel front plate
- Diameter 70 mm
- Metal push-button handle
- Flow rate Min. 4 L/mn - Max. 20L/mn




ONE FOR ALL







-  PM11033/Q/CH
-  PM11033/Q/MB
-  PM11033/Q/BN
-  PM11033/Q/MG
-  PM11033/Q/BC
-  PM11033/Q/BR
-  PM11033/Q/GM



- Built-in shower mixer with OneForAll push button and mechanical temperature regulation WITHOUT cuttable box**
- With built-in box: Min. 26 mm - Max. 56 mm
 - 1 function
 - Stainless steel front plate 70x70 mm
 - Metal push-button handle
 - Flow rate Min. 4L/mn - Max. 20L/mn



ONE
FOR ALL



THE ADJUSTMENT IS MADE THROUGH A SINGLE CONTROL HANDLE:




Flow opening/closing



Water flow control




Water temperature control




20

CHOOSE THE LOGO ON EACH HANDLE:



PA05726/S
Shower head



PA05726/D
Handshower



PA05726/B
Bath spout



PA05726/C
Waterfall jet



PA05726/J
Lateral jet
body jet



PA05426/V
Mist jet






-  PM11039/CH
-  PM11039/MB
-  PM11039/BN
-  PM11039/MG
-  PM11039/BC
-  PM11039/BR
-  PM11039/MG

Thermostatic shower mixer - CoolTouch


- Hole distance 150 mm +/-20 mm
- Without hose - Without Hand shower
- Pair of metal rosettes
- Metal handles
- Thermostatic cartridge block at 38°C



-  PM09146/CH
-  PM09146/MB
-  PM09146/BN
-  PM09146/MG
-  PM09146/BC
-  PM09146/BR
-  PM09146/MG

Pair of brass pillar unions for exposed bath-shower mixer

- For deck-mounted installation on bathtub
 - Height 64 mm
 - For mixer installation
- PM11039 - PM04124 - PM11040 - PM11041 -
PM11055 - PM11056 - PM13040 - PM13041




21

MECHANICAL MIXERS

-  PM04124/CH
-  PM04124/MB
-  PM04124/BN
-  PM04124/MG
-  PM04124/BC
-  PM04124/BR
-  PM04124/MG

Wall-mounted exposed thermostatic bath-shower mixer


- Hole distance 150 mm +/-20 mm
- Without hose - Without Hand shower
- Automatic inverter
- Pair of metal rosettes
- Metal handles






-  PM11040/CH
-  PM11040/MB
-  PM11040/BN
-  PM11040/MG
-  PM11040/BC
-  PM11040/BR
-  PM11040/GM

- Mechanical wall-mounted bath mixer**
- Hole distance 150 mm +/-20 mm
 - Without hose - Without Hand shower
 - Automatic inverter
 - Pair of metal rosettes
 - Metal handles



-  PM11041/CH
-  PM11041/MB
-  PM11041/BN
-  PM11041/MG
-  PM11041/BC
-  PM11041/BR
-  PM11041/GM

- Mechanical shower mixer**
- Hole distance 150 mm +/-20 mm
 - Without hose - Without Hand shower
 - Paire de Rosettes Metal
 - Metal handles



22



-  PM10188/CH
-  PM10188/MB
-  PM10188/BN
-  PM10188/MG
-  PM10188/BC

ONE FOR ALL COMPLETE KIT ROUND

including:

PM11034 + PM07016 + PM10013

ONE FOR ALL - Built-in shower mixer with mechanical temperature regulation OneForAll - Button with built-in body and cuttable box
Min. 51 mm - Max. 81 mm

- Round Stainless steel plate, Ø 100 mm
- 1 function
- Round shower arm in metal L. 400 mm
- Round shower head in stainless steel, Ø 300 mm - Thickness 2 mm
- Anti-limescale nozzles
- Easy to clean
- Flow rate Min. 4L/mn - Max. 15L/mn



23

KIT ONE FOR ALL

-  PM10189/CH
-  PM10189/MB
-  PM10189/MG
-  PM10189/BC
-  PM10189/BR
-  PM10189/GM

ONE FOR ALL COMPLETE KIT SQUARE

including:

PM11034/Q + PM07012 + PM10011

ONE FOR ALL - Built-in shower mixer with mechanical temperature regulation OneForAll - Button with built-in body and cuttable box
Min. 51 mm - Max. 81 mm

- Square Stainless steel plate, 100x100 mm
- 1 function
- Square shower arm in metal L. 400 mm
- Shower head in stainless steel 300x300 mm - Thickness 2 mm
- Anti-limescale nozzles
- Easy to clean
- Flow rate Min. 4L/mn - Max. 15L/mn



-  PM10190/CH
-  PM10190/MB
-  PM10190/BN
-  PM10190/MG
-  PM10190/BC
-  PM10190/BR
-  PM10190/GM

ONE FOR ALL COMPLETE KIT ROUND

including:

PM11034 + PM10106 + PM10026 + PM10024

ONE FOR ALL - Built-in shower mixer with mechanical temperature regulation OneForAll - Button with built-in body and cuttable box Min. 51 mm - Max. 81 mm

- Round Stainless steel plate Ø 100 mm
- 1 function
- Water connection with fixed Hand shower holder in brass
- CYLINDER Hand shower in metal - 1 jet
- Hose L. 1600 mm
- Anti-limescale nozzles
- Easy to clean
- Flow rate Min. 4L/mn - Max. 12L/mn



24



rain



-  PM10240/CH
-  PM10240/MB
-  PM10240/BN
-  PM10240/MG
-  PM10240/BC
-  PM10240/BR
-  PM10240/GM

KIT COMPLET ONE FOR ALL

including:

PM11034 + PM06032 + PM10026 + PM10024

ONE FOR ALL - Built-in shower mixer with mechanical temperature regulation OneForAll - Button with built-in body and cuttable box Min. 51 mm - Max. 81 mm

- Round Stainless steel plate, Ø 100 mm
- 1 function
- Water connection with fixed Hand shower holder in brass
- Hand shower with Touch 3 jets: rain + massage + mix
- Hose L 1600 mm
- Anti-limescale nozzles
- Easy to clean
- Flow rate Min. 4L/mn - Max. 12L/mn



rain



massage



mix





-  PM10239/CH
-  PM10239/MB
-  PM10239/BN
-  PM10239/MG
-  PM10239/BC
-  PM10239/BR
-  PM10239/GM

ONE FOR ALL AVEC SHOWER RAIL
including:

PM11034 + PM10027 + PM03137

ONE FOR ALL - Mitigeur Encastre DOUCHE et
réglage mécanique de température OneForAll -
**Bouton Poussoir With built-in box and cuttable
box Min. 51 mm - Max. 81 mm**

- Round Stainless steel plate Ø 100 mm
- 1 function
- Brass water outlet
- NEW CONCENTRIC Hand shower - 3 Jets
- Shower set: 1000 mm rail + sliding ABS Hand shower holder + sliding brass wall fixings
- Anti-limescale nozzles
- Easy to clean
- Flow rate Min. 4L/mn - Max. 12L/mn



rain




massage



mix




25



-  PM09107/Q/CH
-  PM09107/Q/MB
-  PM09107/Q/BN
-  PM09107/Q/MG
-  PM09107/Q/BC
-  PM09107/Q/BR
-  PM09107/Q/GM


BUILT-IN MODULE WITH CUTTABLE
BOX & BATH SPOUT
including:

- Adjustable recessed box Min 51 - Max 81 mm with brass body 1/2" connection
- Brass spout Ø 26 mm with anti-limescale aerator - Length 192,2 mm
- Stainless steel front plate 100x100 mm



26


KITONE FOR ALL



-  PM09107/R/CH
-  PM09107/R/MB
-  PM09107/R/BN
-  PM09107/R/MG
-  PM09107/R/BC
-  PM09107/R/BR
-  PM09107/R/GM

BUILT-IN MODULE WITH CUTTABLE
BOX & BATH SPOUT
including:

- Adjustable recessed box Min 51 - Max 81 mm with brass body 1/2" connection
- Brass spout Ø 26 mm with anti-limescale aerator - Length 192,2 mm
- Stainless steel front plate Ø 100 mm



NEW ITEMS




-  PM11076/CH
-  PM11076/MB
-  PM11076/BN
-  PM11076/MG
-  PM11076/BC
-  PM11076/BR
-  PM11076/GM


Complete built-in mechanical shower mixer

- 2 functions - OneForAll

- With built-in box and cuttable box
- For creating shower space 2 functions
- Plate in chromed stainless steel 220x100 mm
- 2 complete OneForAll systems:
- Open/Close + Flow adjustment on each handle
- Provide hot and cold water connection on each embedded OneForAll box
- Built-in box Min. 55 mm - Max. 85 mm
- Metal handles
- For functions: Flow rate Min. 6L/mn - Max. 20L/mn
- For installation - vertical installation



ONE FOR ALL



27

NEW ITEMS




-  PM11076/Q/CH
-  PM11076/Q/MB
-  PM11076/Q/BN
-  PM11076/Q/MG
-  PM11076/Q/BC
-  PM11076/Q/BR
-  PM11076/Q/GM


Complete built-in mechanical shower mixer

- 2 functions - OneForAll

- With built-in box and cuttable box
- For creating shower space 2 functions
- Plate in chromed stainless steel 200x100 mm
- 2 complete OneForAll systems:
- Open/Close + Flow adjustment on each handle
- Provide hot and cold water connection on each embedded OneForAll box
- Built-in box Min. 55 mm - Max. 85 mm
- Metal handles
- For functions: Flow rate Min. 6L/mn - Max. 20L/mn
- For installation - vertical installation



ONE FOR ALL



KIT ONE FOR ALL



PM11078/CH

PM11078/MB

PM11078/BN

PM11078/MG

PM11078/BC

PM11078/BR


PM11078/GM

ONE

FOR ALL

ONE FOR ALL*2 functions - 2 push buttons with temperature adjustment

- With built-in box
- **Without adjustable box**
- With 2 stainless steel front rosettes
- Metal handles
- For functions: Flow rate Min.6L/mn - Max. 20L/mn
- For installation - vertical installation





PM11078/Q/CH

PM11078/Q/MB

PM11078/Q/BN

PM11078/Q/MG

PM11078/Q/BC

PM11078/Q/BR

PM11078/Q/GM


ONE

FOR ALL

ONE FOR ALL*2 functions - 2 push buttons with temperature adjustment

- With built-in box
- **Without adjustable box**
- With 2 stainless steel front rosettes
- Metal handles
- For functions: Flow rate Min. 6L/mn - Max. 20L/mn
- For installation - vertical installation

NEW ITEMS




NEW ITEMS



- PM11077/CH
- PM11077/MB
- PM11077/BN
- PM11077/MG
- PM11077/BC
- PM11077/BR
- PM11077/GM

Complete built-in mechanical shower mixer - 3 functions - OneForAll

- With built-in box and cuttable box
- For creating shower space 3 functions
- Stainless steel front plate
- 3 complete OneForAll systems:
 - Open/Close + Flow adjustment on each handle
- Provide hot and cold water connection on each embedded OneForAll box
- Built-in box Min. 55 mm - Max. 85 mm
- Metal handles
- For functions: Flow rate Min. 6L/mn - Max. 20L/mn
- For installation - vertical installation



ONE FOR ALL



29


MECHANICAL MIXERS



- PM11077/Q/CH
- PM11077/Q/MB
- PM11077/Q/BN
- PM11077/Q/MG
- PM11077/Q/BC
- PM11077/Q/BR
- PM11077/Q/GM

Complete built-in mechanical shower mixer - 3 functions - OneForAll

- With built-in box and cuttable box
- For creating shower space 3 functions
- Rectangular Stainless steel front plate
- 3 complete OneForAll systems:
 - Open/Close + Flow adjustment on each handle
- Provide hot and cold water connection on each embedded OneForAll box
- Built-in box Min. 55 mm - Max. 85 mm
- Metal handles
- For functions: Flow rate Min. 6L/mn - Max. 20L/mn
- For installation - vertical installation



ONE FOR ALL





-  PM11072/CH
-  PM11072/MB
-  PM11072/BN
-  PM11072/MG
-  PM11072/BC

Built-in shower mixer


- With built-in box and cuttable box:

- Min. 42 mm - Max. 82 mm
- Stainless steel front plate 206x100 mm
- Manual diverter: 2 functions :
Shower Head or Hand shower

Metal handles :

- **High handle** = manual diverter 2 functions: Shower head or Hand shower
- **Low handle** = OneForAll: Mixer for flow control / manual temperature adjustment

- For installation - vertical installation
- For functions: Flow rate Min. 6L/mn - Max. 20L/mn



ONE
FOR ALL



30

MECHANICAL MIXERS

-  PM11082/CH
-  PM11082/MB
-  PM11082/BN
-  PM11082/MG
-  PM11082/BC
-  PM11082/BR
-  PM11082/GM

ONE FOR ALL COMPLETE KIT

ONE FOR ALL - PM10024/CH + PM06032/CH

ONE FOR ALL - 2 way built-in shower mixer with **mechanical temperature regulation** - Opening/ Closing + Flow rate adjustment - **Button with built-in body and cuttable box Min. 55 mm - Max. 85 mm**

- Stainless steel front plate 100x220 mm
- Round shower arm in metal L. 400 mm
- Round shower head in stainless steel Ø 250 mm with Anti-limescale nozzles
- Water connection with fixed Hand shower holder in brass + Hose L. 1600 mm + Hand shower 1 spray anti-limescale
- Hand shower flow rate: Min. 6L/mn Max. 12L/mn
- Rain shower head flow rate: Min. 6L/mn Max. 15L/mn
- For installation - vertical installation




rain




ONE
FOR ALL



NEW ITEMS



- For installation - vertical installation




- For installation - horizontal installation



PM11091/GM

- For installation - horizontal installation






-  PM11053/CH
-  PM11053/MB
-  PM11053/BN
-  PM11053/MG
-  PM11053/BC
-  PM11053/BR
-  PM11053/GM

Washbasin mixer with click-clack drain


- Height 195 mm
- Projection 128 mm under aerator
- Height from the aerator: 117 mm
- Anti-limescale aerator - Flow rate 4L/mn
- 450 mm stainless steel hoses
- Waste supplied with system for free flow drain



-  PM12053/CH
-  PM12053/MB
-  PM12053/BN
-  PM12053/MG
-  PM12053/BC
-  PM12053/BR
-  PM12053/GM

Washbasin mixer WITHOUT drain


- Height 195 mm
- Projection 128 mm under aerator
- Height from the aerator: 117 mm
- Anti-limescale aerator - Flow rate 4L/mn
- 450 mm stainless steel hoses



-  PM11054/CH
-  PM11054/MB
-  PM11054/BN
-  PM11054/MG
-  PM11054/BC
-  PM11054/BR
-  PM11054/GM

Washbasin mixer with high spout with click-clack drain

- Height 343 mm
- Projection 190 mm under aerator
- Height from the aerator: 260 mm
- Anti-limescale aerator - Flow rate 4L/mn
- 600 mm stainless steel hoses
- Waste supplied with system for free flow drain






- | | |
|---|------------|
|  | PM12054/CH |
|  | PM12054/MB |
|  | PM12054/BN |
|  | PM12054/MG |
|  | PM12054/BC |
|  | PM12054/BR |
|  | PM12054/GM |

Washbasin mixer with high spout
WITHOUT drain


- Height 343 mm
- Projection 190 mm under aerator
- Height from the aerator: 260 mm
- Anti-limescale aerator - Flow rate 4L/mn
- 600 mm stainless steel hoses



- | | |
|---|------------|
|  | PM11057/CH |
|  | PM11057/MB |
|  | PM11057/BN |
|  | PM11057/MG |
|  | PM11057/BC |
|  | PM11057/BR |
|  | PM11057/GM |

Wall-mount mechanical washbasin mixer
WITHOUT drain - **With built-in box -**
WITHOUT adjustable box - Built-in box
Min. 49 - Max. 79 mm

- 2 stainless steel rosettes - Ø 70 mm
- Spout length Min.296 mm - Max.326 mm
- Anti-limescale aerator - Flow rate 5L/mn



33


MECHANICAL MIXERS



- | | |
|---|------------|
|  | PM11058/CH |
|  | PM11058/MB |
|  | PM11058/BN |
|  | PM11058/MG |
|  | PM11058/BC |
|  | PM11058/BR |
|  | PM11058/GM |

Wall-mount mechanical washbasin mixer
WITHOUT drain - **With built-in box - WITH**
cuttable box - Built-in box Min.52 mm -
Max.82 mm

- Stainless steel front plate
- Dimension 206x100 mm
- Anti-limescale aerator - Flow rate 5L/mn
- Spout length Min.299 mm - Max.329 mm






-  PM11059/CH
-  PM11059/MB
-  PM11059/BN
-  PM11059/MG
-  PM11059/BC
-  PM11059/BR
-  PM11059/GM

Wall-mount washbasin mixer with OneForAll button and mechanical temperature regulation - **With built-in box - WITHOUT cuttable box** - Built-in box Min. 49 mm - Max. 79 mm

- 2 stainless steel rosettes - Ø 70 mm
- Spout length Min. 296 mm - Max. 326 mm
- Metal push-button handle
- Anti-limescale aerator - Flow rate 5L/mn



34


MECHANICAL MIXERS



-  PM11060/CH
-  PM11060/MB
-  PM11060/BN
-  PM11060/MG
-  PM11060/BC
-  PM11060/BR
-  PM11060/GM

Wall-mount washbasin mixer with OneForAll button and mechanical temperature regulation - **With built-in box - WITH cuttable box** - Built-in box Min. 55 mm - Max. 85 mm

- Stainless steel front plate 206x100 mm
- Spout length Min. 302 mm - Max. 332 mm
- Anti-limescale aerator - Flow rate 5L/mn
- Metal push-button handle






- | | |
|---|------------|
|  | PM11056/CH |
|  | PM11056/MB |
|  | PM11056/BN |
|  | PM11056/MG |
|  | PM11056/BC |
|  | PM11056/BR |
|  | PM11056/GM |

**Mechanical Wall-mounted Bath
Shower Mixer - Without hose, without
Hand shower**


- Automatic inverter
- Pair of metal rosettes
- Metal handles
- Hole distance 150 mm $\pm$ 20 mm



- | | |
|---|------------|
|  | PM11055/CH |
|  | PM11055/MB |
|  | PM11055/BN |
|  | PM11055/MG |
|  | PM11055/BC |
|  | PM11055/BR |
|  | PM11055/GM |

Mechanical Wall-mounted Shower Mixer
Without hose, without Hand shower

- Pair of metal rosettes
- Metal handles
- Hole distance 150 mm +/-20 mm



35


MECHANICAL MIXERS



- | | |
|---|------------|
|  | PM07080/CH |
|  | PM07080/MB |
|  | PM07080/BN |
|  | PM07080/MG |
|  | PM07080/BC |
|  | PM07080/MG |
|  | PM07080/BC |

Head shower SPOT

- 1 jet - 3 Anti-limescale aerator
- Shower head tiltable



rain






-  PM13029/MB-CH
-  PM13029/MB-B
-  PM13029/MB-BN
-  PM13029/MB-MG
-  PM13029/MB-BC
-  PM13029/MB-BR

Washbasin mixer with metal click-clack drain

- Height 198 mm
- Projection 99 mm under aerator
- Height from the aerator: 75 mm
- Anti-limescale aerator - Flow rate 4L/mn
- 450 mm stainless steel hoses
- Waste supplied with system for free flow drain




36



-  PM14029/MB-CH
-  PM14029/MB-B
-  PM14029/MB-BN
-  PM14029/MB-MG
-  PM14029/MB-BC
-  PM14029/MB-BR

Washbasin mixer WITHOUT drain

- Height 198 mm
- Projection 99 mm under aerator
- Height from the aerator: 75 mm
- Anti-limescale aerator - Flow rate 4L/mn
- 450 mm stainless steel hoses




ANUBI



-  PM13030/MB-CH
-  PM13030/MB-B
-  PM13030/MB-BN
-  PM13030/MB-MG
-  PM13030/MB-BC
-  PM13030/MB-BR

Washbasin mixer with high spout with click-clack drain


- Height 343 mm
- Projection 142 mm under aerator
- Height from the aerator: 196 mm
- Anti-limescale aerator - Flow rate 4L/mn
- 600 mm stainless steel hoses
- Waste supplied with system for free flow drain



-  PM14030/MB-CH
-  PM14030/MB-B
-  PM14030/MB-BN
-  PM14030/MB-MG
-  PM14030/MB-BC
-  PM14030/MB-BR

Washbasin mixer with high spout WITHOUT drain


- Height 343 mm
- Projection 142 mm under aerator
- Height from the aerator: 196 mm
- Anti-limescale aerator - Flow rate 4L/mn
- 600 mm stainless steel hoses



-  PM13027/MB-CH
-  PM13027/MB-B
-  PM13027/MB-BN
-  PM13027/MB-MG
-  PM13027/MB-BC
-  PM13027/MB-BR

Bidet mixer with metal click-clack drain

- Height 198 mm
- Projection 97 mm under aerator
- Height from the aerator: 76 mm
- Anti-limescale aerator - Flow rate 4L/mn
- 450 mm stainless steel hoses
- Waste supplied with system for free flow drain



37

MECHANICAL MIXERS



MB-CH

Matte black + Chrome



MB-B

Matte black + Glossy black



MB-BN

Matte black +
Matte brushed nickel



MB-MG

Matte black +
Matte brushed gold




MB-BC

Matte black +
Matte brushed copper



- PM13037/MB-CH
- PM13037/MB-B
- PM13037/MB-BN
- PM13037/MB-MG
- PM13037/MB-BC
- PM13037/MB-BR

Washbasin Mixer with Push Button and Mechanical Temperature Adjustment OneForAll - With built-in box - Built-in box
 Min. 50 mm - Max. 74 mm
 - Anti-limescale aerator - Flow rate 4L/mn
 - Metal push-button handle
 - 2 metal rosettes Ø 70 mm
 - Non-rotatable spout
 - Spout length Min. 256 mm - Max. 286 mm
 - Without drain




38



- PM13038/MB-CH
- PM13038/MB-B
- PM13038/MB-BN
- PM13038/MB-MG
- PM13038/MB-BC
- PM13038/MB-BR

Mitigeur Lavabo With push button et reglage de temperature OneForAll - With built-in box and cuttable box.
 Built-in box Min. 55 mm - Max. 85 mm
 - Stainless steel front plate 206x100 mm and metal handle
 - Anti-limescale aerator - Flow rate 4L/mn
 - Spout length Min. 262 mm - Max. 292 mm
 - Without drain




MECHANICAL MIXERS



- PM13040/MB-CH
- PM13040/MB-B
- PM13040/MB-BN
- PM13040/MB-MG
- PM13040/MB-BC
- PM13040/MB-BR

Mechanical Wall-mounted Bath Shower Mixer - Without hose, without Hand shower
 - Automatic inverter in metal
 - Metal handle
 - Hole distance 150 mm +/- 20 mm




ANUBI




-  PM13041/MB-CH
-  PM13041/MB-B
-  PM13041/MB-BN
-  PM13041/MB-MG
-  PM13041/MB-BC
-  PM13041/MB-BR

Mechanical Wall-mounted Shower Mixer
Without hose, without Hand shower
 - Metal handle
 - Hole distance 150 mm +/- 20 mm



-  PM13080/MB-CH
-  PM13080/MB-B
-  PM13080/MB-BN
-  PM13080/MB-MG
-  PM13080/MB-BC
-  PM13080/MB-BR

Floor-standing Mixer for Freestanding Bathtub - With built-in box.
Height: 998 - 1078 mm
 - Automatic inverter
 - With flexible hose, Hand shower STYLE 1 jet
 - Height from the aerator: 775 - 855 mm
 - Built-in box: Min. 83 mm - Max. 163 mm



39










-  PM06038/W
-  PM06038/MB
-  PM06038/BN
-  PM06038/MG
-  PM06038/BC
-  PM06038/BR
-  PM06038/GM

AERO

- With "TOUCH" selector:
- 3 jets: powder jet - massage - mix
- Ø 120 mm
- Anti-limescale nozzles
- Easy to clean
- Flow rate : 12L/mn

NEW ITEMS
powder jet




powder
jet



massage



mix



42



-  PM10005/CH - AIR
-  PM10005/MB - AIR

QUADRO

- With "TOUCH" selector:
- 3 jets : rain - massage - mix
- Ø 120 mm
- Anti-limescale nozzles
- Easy to clean
- Supplied with a flow-reducing aerator 12L/mn





rain



massage



mix



HAND SHOWER




PM06033/CH

NEW CONCENTRIC

- Ø 100 mm
- 1 function - Anti-limescale jet
- Anti-limescale nozzles
- Easy to clean
- Supplied with a flow-reducing aerator 12L/mn



rain




PM06044/CH

NEW CONCENTRIC

- Ø 100 mm
- 1 function - Anti-limescale jet
- Anti-limescale nozzles
- Easy to clean
- Flow rate 9L/mn



rain



PM06032/CH



PM06032/MB



PM06032/BN



PM06032/MG



PM06032/BC



PM06032/BR



PM06032/GM

NEW CONCENTRIC

- Ø 120 mm
- With push button
- With "TOUCH" selector :
- 3 jets : rain - massage - mix.
- Anti-limescale nozzles
- Easy to clean
- Supplied with a flow-reducing aerator 12L/mn




rain



massage



mix



PM06045/CH

NEW CONCENTRIC

- Ø 120 mm
- With push button
- With "TOUCH" selector :
- 3 jets : rain - massage - mix.
- Anti-limescale nozzles
- Easy to clean
- Flow rate 9L/mn




rain



massage



mix




**PM06027/W****GSTAAD AIR 100**

- 1 function with Water + Air jet
- Dimension 100 mm
- Anti-limescale nozzles
- Easy to clean
- Supplied with a flow-reducing aerator 12L/mn



rain

**PM06028/W****PM06028/MG****GSTAAD AIR 120**

- With "TOUCH" selector :
- 3 jets : rain - massage - mix.
- Water + Air jets for a gentle effect
- Dimension 120 mm
- Anti-limescale nozzles
- Easy to clean
- Supplied with a flow-reducing aerator 12L/mn




rain



massage



mix

**PM06029/W****GSTAAD AIR 140**

- With "TOUCH" selector :
- 3 jets : rain - massage - mix.
- Water + Air jets for a gentle effect
- Dimension 140 mm
- Anti-limescale nozzles
- Easy to clean
- Supplied with a flow-reducing aerator 12L/mn




rain



massage




mix

**PM0600ST/CH****PM0600ST/MB****CYLINDER**

- ABS Chrome - 1 anti-limescale jet
- Anti-limescale nozzles
- Easy to clean
- Supplied with a flow-reducing aerator 12L/mn



rain



HAND SHOWER




-  PM10106/CH
-  PM10106/MB
-  PM10106/BN
-  PM10106/MG
-  PM10106/BC
-  PM10106/BR
-  PM10106/GM

CYLINDER

- Metal 1 function
- Anti-limescale nozzles
- Easy to clean
- Supplied with a flow-reducing aerator 12L/mn



rain




PM0600CN1F/CH

LIGHT

- 1 central anti-limescale jet
- Ø 100 mm
- Anti-limescale nozzles
- Easy to clean
- Flow rate 12L/mn



rain



45

HAND SHOWER



PM0600CN3F/CH

LIGHT

- 3 functions with rotating system
- Ø 110 mm
- Anti-limescale nozzles
- Easy to clean
- Flow rate 12L/mn




rain



massage



mix



PM06046/CH

- 1 function - Anti-limescale jet
- Ø 100 mm
- Anti-limescale nozzles
- Easy to clean
- Flow rate 8L/mn




rain



massage



mix





PM06047/CH

- 3 functions with rotating system
- Ø 100 mm
- Anti-limescale nozzles
- Easy to clean
- Flow rate 8L/mn




rain



massage



mix



PM0601BR3F

BARONESSA 3F

- 3 fonctions avec jets: rain, massage, jet aerated, waterfall
- Dimension 80 mm
- Anti-limescale nozzles
- Easy to clean
- Supplied with a flow-reducing aerator 12L/mn




rain



massage



aerated waterfall



PM0601DC3F

DUCHESSA 3F

- 3 fonctions avec jets: rain, massage, jet aerated, waterfall
- Dimension 80 mm
- Anti-limescale nozzles
- Easy to clean
- Supplied with a flow-reducing aerator 12L/mn




rain



massage



aerated waterfall



HAND SHOWER




-  PM06048/CH-W
-  PM06048/MB
-  PM06048/BN
-  PM06048/MG
-  PM06048/BC

AQUAPULSE

With "TOUCH" selector :

- 3 jets : rain - massage - mix
- Ø 120 mm
- Anti-limescale nozzles
- Easy to clean
- Supplied with a flow-reducing aerator 12L/mn



rain



massage



mix








PM10133/CH

Water connection and holder in brass

- Cylindrical Hand shower in ABS
- 1 Anti-limescale jet
- **Chromed** finish
- Hose L.1600 mm
- Anti-limescale nozzles
- Supplied with a flow-reducing aerator 12 L/Min



rain






PM09096/MB

Water connection and holder in brass

- Cylindrical Hand shower in ABS
- 1 Anti-limescale jet
- **Matte black** finishing
- Hose L.1600 mm
- Anti-limescale nozzles
- Supplied with a flow-reducing aerator 12 L/Min



rain




PM10140/CH

Holder with Hand shower

- Holder in ABS, fixed
- Hand shower in ABS 1 jet
- Ø 100 mm
- Hose L.1250 mm
- Anti-limescale nozzles
- Supplied with a flow-reducing aerator 12 L/Min



rain






PM03004/CH




BASEL 1000 - AERO



- Brass tube L.1000 mm
- Hand shower holder in brass, adjustable with guide - Automatic stop - Tiltable
- Wall mounted holder in brass, adjustable
- Aero Hand shower PM06038/W Ø 120 mm
- Anti-limescale nozzles
- With "TOUCH" selector :
- 3 jets : powder jet - massage - mix
- Hose L.1600 mm
- Anti-limescale nozzles
- Easy to clean
- Flow rate 12L/mn




50



SHOWER RAIL



SHOWER RAIL



brass



rain


massage

mix

-  PM10034/CH
-  PM10034/MB
-  PM10034/BN
-  PM10034/MG
-  PM10034/BC
-  PM10034/BR
-  PM10034/GM

BASEL 1000

- Tube Ø 22 mm, L. 1000 mm in metal
- Hand shower holder in metal, sliding and adjustable, with automatic guide
- Wall mounted holders in metal, adjustable
- Hose Length 1600 mm
- NEW CONCENTRIC Hand shower with "TOUCH" selector: 3 jets : rain - massage - mix
- Anti-limescale nozzles
- Easy to clean
- Flow rate 12L/mn
- Supplied with a flow-reducing aerator 8L/mn



Hand shower holder in metal, tiltable
Hand shower holder adjustment by guide
- Automatic stop - Tiltable

51

SHOWER RAIL

52

SHOWER RAIL





- Hand shower holder in **brass**, rotating
- Adjustable
- Automatic stop
- Tiltable





PM03005/CH

ARIA

- Brass tube L.1000 mm
- Hand shower holder in brass adjustable with guide Automatic stop - Tiltable
- Wall mounted holder in brass, adjustable
- AIR Shower Hand shower Ø 120 mm, Anti-limescale nozzles
- With "TOUCH" selector :
3 jets : rain - massage - mix
- Hose L.1600 mm
- Anti-limescale nozzles
- Easy to clean
- Flow rate 12L/mn






PM03006/CH

CYLINDER

- Brass tube L. 1000 mm
- Hand shower holder in brass, adjustable with guide - Automatic stop - Tiltable
- Wall mounted holder in brass, adjustable
- ABS Cilindrica Hand shower 1 jet, Anti-limescale nozzles
- Hose L. 1600 mm
- Easy to clean
- Flow rate 12L/mn



54

SHOWER RAIL



ABS



SHOWER RAIL



PM10164/CH

BASEL 600 - AERO

- Brass tube L. 600 mm
- Hand shower holder in brass, tiltable
- Hand shower holder adjustment by guide - Automatic stop
- Fixations barre en ABS fixe, non adjustable
- Bar brackets in fixed ABS, not adjustable
- With "TOUCH" selector :
- 3 jets : powder jet - massage - mix
- Hose L. 1600 mm
- Anti-limescale nozzles
- Easy to clean
- Flow rate 12L/mn




powder
jet



massage



mix



Hand shower holder in **brass**, tiltable.
Hand shower holder adjustment by guide
- Automatic stop - Tiltable


55

SHOWER RAIL

- PM03137/CH
- PM03137/MB
- PM03137/BN
- PM03137/MG
- PM03137/BC
- PM03137/BR
- PM03137/GM

EVENT

- Tube Ø 22 mm
- H. 1000 mm
- Wall mounted holder in brass, adjustable
- Hand shower holder in ABS adjustable - Automatic stop - Tilttable
- NEW CONCENTRIC hand shower - Ø 120 mm - With "TOUCH" selector : 3 jets : rain - massage - mix
- Anti-limescale nozzles - Easy to clean
- Flow rate 12L/mn
- Supplied with a flow-reducing aerator 8L/mn
- Hose L 1600 mm avec cônes rotatifs aux 2 extrémités



56

SHOWER RAIL




rain

massage

mix

SHOWER RAIL - SHOWER BAR



PM10082/CH

RENO

- Brass tube L.1000 mm, Ø 18 mm
- Bar brackets in ABS, adjustable
- Hand shower holder in ABS, adjustable
- Hand shower with 3 functions Ø 100 mm - Change by rotation
- Hose L.1600 mm
- Chrome
- Easy to clean
- Flow rate 12L/mn




rain




massage



mix



57



PM10142/CH



PM10142/MB



PM10142/BN



PM10142/MG



PM10142/BC




PM10142/BR




PM10142/GM

BARRE DE DOUCHE EVENT

- Tube 22 mm
- Length 1000 mm
- Wall mounted holder in brass, adjustable
- Hand shower holder in ABS adjustable with guide - Automatic stop - Tiltable




58




- PM10017/CH
- PM10017/MB
- PM10017/BN
- PM10017/MG
- PM10017/BC
- PM10017/BR
- PM10017/GM

**BASEL 1000
METAL SHOWER BAR**

- Brass tube L.1000 mm
- Hand shower holder in brass adjustable with guide - Automatic stop - Tiltable
- Wall mounted holder in brass, adjustable




SHOWER BAR




- PM10052/CH
- PM10052/MB
- PM10052/BN
- PM10052/MG
- PM10052/BC
- PM10052/BR
- PM10052/GM

**BASEL 700
METAL SHOWER BAR**

- Length 700 mm
- Hand shower holder in brass adjustable with guide - Automatic stop - Tiltable
- Wall mounted holder in brass, adjustable



SHOWER BAR KIT



PM10177/CH

COMBI RENO

Thermostatic shower KIT + SHOWER RAIL

- Brass tube L.700 mm
- Fixations murales ABS
- Wall brackets in ABS adjustable
- Hand shower 3 jets
- Hose L.1600 mm
- Thermostatic mixer with metal handles
- Anti-limescale nozzles
- Easy to clean
- Flow rate 12L/mn





rain



massage



mix



59

BARRES DE DOUCHE





RAINDROP

DESIGN BY GIACOMO ZUCCHI



TEMPERED GLASS

NDW




SHOWER COLUMNS

RAINDROP DIURNA


PM10150RW

- **White glass** shelf Length 500x160 mm
- Shower head Ø 300 mm, Thickness 6 mm,
Stainless steel - Tiltable
- Hand shower Ø 120 mm, selector 3 jets: rain,
massage, mix
- Hand shower holder in brass adjustable with guide
Automatic stop - Tiltable
- Wall mounted holder in brass, adjustable
- Hose L.1600 mm
- Cooltouch thermostatic mixer
- 2 Metal Push Buttons - open/close flow
and flow adjustment
- Tube Ø 22 mm, cuttable
- Fittings by interlocking supplied
- Hole distance 150 mm
- Shower head flow rate: Min. 6L/mn - Max. 15L/mn
- Hand shower flow rate: Min. 6L/mn - Max. 12L/mn




- **Black glass** shelf Length 500x160 mm
- Shower head Ø 300 mm, Thickness 6 mm, Stainless steel - Tilttable
- Hand shower Ø 120 mm, selector 3 jets: rain, massage, mix
- Hand shower holder in brass adjustable with guide Automatic stop - Tilttable
- Wall mounted holder in brass, adjustable
- Hose L.1600 mm
- Cooltouch thermostatic mixer
- 2 Metal Push Buttons - open/close flow and flow adjustment
- Tube Ø 22 mm, cuttable
- Fittings by interlocking supplied
- Hole distance 150 mm
- Shower head flow rate: Min. 6L/mn - Max. 15L/mn
- Hand shower flow rate: Min. 6L/mn - Max. 12L/mn

SHOWER COLUMNS



SHOWER COLUMNS

RAINDROP NOCTURNA



brass



brass



65

SHOWER COLUMNS


66




RAINDROP

GLASS ON GLASS

DESIGN BY GIACOMO ZUCCHI







DIURNA - PM10166/W



NOCTURNA - PM10166/B

THERMOSTATIC COLUMN WITH TABLET 500x160 mm

- Shower head Ø 300 mm, Thickness 6 mm, Stainless steel
- Hand shower 120 mm, selector 3 jets : rain, massage, mix
- Hand shower holder in brass adjustable with guide Automatic stop - Tiltable
- Wall mounted holder in brass, adjustable
- Hose L.1600 mm
- Cooltouch thermostatic mixer
- 2 Metal Push Buttons - open/close flow and flow rate adjustment
- Tube Ø 22 mm, cuttable
- Fittings by interlocking supplied
- Hole distance 150 mm
- Shower head flow rate: Min. 6L/mn - Max. 15L/mn
- Hand shower flow rate: Min. 6L/mn - Max. 12L/mn




rain



massage



mix



SHOWER COLUMNS

GLASS ON GLASS RAINDROP



PM04177/W

THERMOSTATIC COLUMN WITH TABLET RAINDROP -
Chrome components - White shelf



PM04177/B

THERMOSTATIC COLUMN WITH TABLET RAINDROP -
Chrome components - Black shelf

- Shower head 300x300 mm, Stainless steel
- Hand shower 120 mm, selector 3 jets : rain, massage, mix
- Metal bracket for handheld shower - brass, to be fixed
- Two-piece rectangular tube
- Hose L. 1600mm
- 2 Metal Push Buttons - open/close flow and flow rate adjustment
- Fittings by interlocking supplied
- Hole distance 150 mm
- Shower head flow rate: Min. 6L/mn - Max. 15L/mn
- Hand shower flow rate: Min. 6L/mn - Max. 12L/mn

Cool-Touch



rain



massage



mix



69


SHOWER COLUMNS



-  PM10199/CH
-  PM10199/W
-  PM10199/B
-  PM10199/MB
-  PM10199/BN
-  PM10199/MG
-  PM10199/BC
-  PM10199/BR
-  PM10199/GM

THERMOSTATIC COLUMN WITH TABLET 350x135 mm

- Shower head in stainless steel 300x300 mm – Thickness 6 mm - Tilttable
- Square metal shower arm L. 400 mm
- Hand shower Air Ø 120 mm
- Selector 3 jets : rain - massage - mix
- Supporto hand shower in metal
- With built-in body for shower head supply
- Min.mum / Max. Built-in box : 59,5 mm / 84,5 mm
- Cooltouch thermostatic mixer in metal
- 2 Metal Push Buttons - open/close flow and flow rate adjustment
- Silver hose L.1600 mm
- Fittings by interlocking supplied - Hole distance 150 mm
- Shower head flow rate: Min. 6L/mn - Max. 15L/mn
- Hand shower flow rate: Min. 6L/mn - Max. 12L/mn



SIMETRY



PM10155/W
White Toughened
Glass Plate




PM10155/B

- Shower head in stainless steel Chrome 300x300 mm
 - Thickness 6 mm - Tilttable
- Rectangular tube in 2 parts
- Hand shower Air Ø 120 mm
- Selector 3 jets : rain - massage - mix
- Wall mounted holder in brass
- Cooltouch thermostatic mixer
- 2 Metal Push Buttons - open/close flow and flow rate adjustment
- Silver hose L.1600 mm
- Fittings by interlocking supplied
- Hole distance 150 mm
- Shower head flow rate: Min.6L/mn - Max.15L/mn
- Hand shower flow rate: Min.6L/mn - Max.12L/mn




mix



72



SHOWER COLUMNS



- PM10154/CH
- PM10154/W
- PM10154/B
- PM10154/MB
- PM10154/BN
- PM10154/MG
- PM10154/BC
- PM10154/GM

THERMOSTATIC COLUMN WITH TABLET 350x135 mm

- Shower head in stainless steel Chrome Ø 250 mm - Thickness 6 mm - Tiltable
- Tube Ø 22 mm, cuttable
- Hand shower Air Ø 120 mm selector 3 jets : Rain - Massage - Mix
- Hand shower holder in brass adjustable with guide Automatic stop - Tiltable
- Wall mounted holder in brass, adjustable
- Cooltouch thermostatic mixer
- 2 Metal Push Buttons - open/close flow and flow rate adjustment
- Silver hose L. 1600 mm
- Fittings by interlocking supplied
- Hole distance 150 mm
- Shower head flow rate: Min. 6L/mn - Max. 15L/mn
- Hand shower flow rate: Min. 6L/mn - Max. 12L/mn



PM10154/W
White Toughened
Glass Plate



PM10154/B
Black Toughened
Glass Plate




COLONNES DE DOUCHE

P38



- PM10200/MB-CH
- PM10200/MB-MB
- PM10200/MB-BN
- PM10200/MB-MG
- PM10200/MB-BC
- PM10200/MB-BR
- PM10200/MB-GM

- THERMOSTATIC SHOWER COLUMN TABLETTE**
- Shower head in stainless steel Ø 300 mm - Thickness 8 mm - Tiltable
 - Cooltouch thermostatic mixer
 - Tube Ø 22 mm, cuttable
 - Ø 120 mm hand shower with TOUCH selector - 3 functions: rain, massage, mix
 - Brass adjustable hand shower holder with automatic stop guidance - Tiltable wall-mounted bracket
 - 2 Metal Push Buttons - open/close flow and flow rate adjustment
 - Hose L.1600 mm
 - Fittings by interlocking supplied
 - Hole distance 150 mm
 - Shower head flow rate: Min. 6L/mn - Max.15L/mn
 - Hand shower flow rate: Min. 6L/mn - Max.12L/mn



73

SHOWER COLUMNS

PM10200/MB-CH
With Chrome metal handles



PM10200/MB-BN
With Matte Brushed Nickel metal handles




PM10200/MB-MG
With Matte Brushed Gold metal handles




PM10200/MB-BC
With Brushed Rose metal handles





SHOWER COLUMNS



AVANTGARDE



- PM10201/CH
- PM10201/W
- PM10201/B
- PM10201/MB - Full Matte black
- PM10201/BN
- PM10201/MG
- PM10201/BC
- PM10201/GM

THERMOSTATIC COLUMN WITH TABLET

- Shower head In Stainless steelchrome Ø 250 mm - Thickness 4 mm
- Cooltouch thermostatic mixer in metal
- Tube Ø 22 mm, cuttable
- 2 Metal Push Buttons - open/close flow and flow rate adjustment
- Support douchette ABS adjustable par Guidage Automatic stop - Tiltable Wall mounted holder in brass, adjustable
- Adjustable metal wall-mounting bracket
- Hose L.1600 mm argent
- Hand shower 120 mm - selector 3 jets : rain, massage, mix.
- Fittings by interlocking supplied
- Hole distance 150 mm
- Shower head flow rate: Min. 6L/mn - Max. 15L/mn
- Hand shower flow rate: Min. 6L/mn - Max. 12L/mn



PM10201/W
With White Glass Shelf



PM10201/B
With Black Glass Shelf



75



SHOWER COLUMNS

PM10196/W-W

THERMOSTATIC COLUMN WITH TABLET

344x160 mm

- White ABS Body + White Glass Plate - Chrome Plated Buttons and Thermostatic Handles
- Shower head Ø 300 mm - Thickness 2 mm - Tilttable
- Cooltouch thermostatic mixer
- Tube Ø 22 mm, cuttable
- 2 Metal Push Buttons - open/close flow and flow rate adjustment
- Support douchette ABS adjustable par Guidage Automatic stop - Tilttable Wall mounted holder in brass, adjustable
- Adjustable metal wall-mount bracket
- Hose L. 1600 mm argent
- Aero Hand shower Ø 120 mm, selector 3 jets : Powder jet - Massage - Mix
- Fittings by interlocking supplied
- Hole distance 150 mm
- Shower head flow rate: Min. 6L/mn - Max. 12L/mn
- Hand shower flow rate: Min. 6L/mn - Max. 12L/mn



CoolTouch
ABS Body
White Matte

PROVENCE



PM10204/MB-B

THERMOSTATIC COLUMN WITH TABLET
344x160 mm


- Shower head Ø 250 mm - Tiltable
- Cooltouch thermostatic mixer
- 2 Metal Push Buttons - open/close flow and flow rate adjustment
- Tube Ø 22 mm, cuttable
- Aero Hand shower Ø 120 mm, selector 3 jets : Powder jet - Massage - Mix
- Adjustable ABS hand shower holder - sliding and tiltable
- Adjustable metal wall-mounted bracket
- Thermostatique blocage 38°C
- Hose L.1600 mm
- Fittings by interlocking supplied
- Hole distance 150 mm
- Shower head flow rate: Min.6L/mn - Max.12L/mn
- Hand shower flow rate: Min.6L/mn - Max.12L/mn



Black shelf




CoolTouch
Matte black ABS



powder
jet

message

mix







PM10194/MB-B

THERMOSTATIC COLUMN WITH TABLET 344x160 mm

- Shower head 250x250 mm
- Cooltouch thermostatic mixer + Black shelf
- 2 Metal Push Buttons - open/close flow and flow rate adjustment
- Tube Ø 22 mm, cuttable
- Aero Hand shower Ø 120 mm, selector 3 jets :
- Powder jet - Massage - Mix
- Adjustable ABS hand shower holder - sliding and tiltable
- Adjustable metal wall-mount bracket
- Thermostatique blocage 38°C
- Hose L.1600 mm
- Fittings by interlocking supplied
- Hole distance 150 mm
- Shower head flow rate: Min. 6L/mn - Max. 12L/mn
- Hand shower flow rate: Min. 6L/mn - Max. 12L/mn




powder
jet

massage

mix

SHOWER COLUMNS

PROVENCE



Thermostatic handle for temperature control.



-  PM10204/CH-CH
-  PM10204/CH-W
-  PM10204/CH-B

THERMOSTATIC COLUMN WITH TABLET 344x160 mm

- Shower head Ø 250 mm
- Stainless steel Chrome Thickness 2 mm - Tilttable
- Cooltouch thermostatic mixer ABS
- 2 Metal Push Buttons - open/close flow and flow rate adjustment
- Tube Ø 22 mm, cuttable
- Aero Hand shower Ø 120 mm, selector 3 jets : Powder jet - Massage - Mix
- Adjustable ABS hand shower holder - sliding and tilttable
- Sliding metal wall-mounted bracket
- Hose L. 1600 mm
- Fittings by interlocking supplied
- Hole distance 150 mm
- Shower head flow rate: Min. 6L/mn - Max. 12L/mn
- Hand shower flow rate: Min. 6L/mn - Max. 12L/mn



powder
jet



massage



mix



PM10204-CH-CH Chrome shelf



PM10204-CH-W White shelf



PM10204-CH-B Black shelf



79

SHOWER COLUMNS

PM10207/CH

AERO THERMOSTATIC SHOWER COLUMN

- Shower head Aero In Stainless steelchrome
Ø 250 mm - Thickness 6 mm
- Cooltouch thermostatic mixer in metal
- Tube Ø 22 mm, cuttable
- Hand shower holder in brass adjustable with guide
Automatic stop
- Metal adjustable wall mounting bracket
- Hose L. 1600 mm argent
- Aero Hand shower Ø 120 mm -
selector 3 jets : powder jet, massage, mix
- Hole distance 150 mm
- Shower head flow rate 12L/mn
- Hand shower flow rate 12L/mn



brass

adjustable

brass

adjustable

tiltable




CoolTouch
chromed
metal

powder
jet

massage




mix



SHOWER COLUMNS

EVENT 300



- PM10241/CH
- PM10241/MB
- PM10241/BN
- PM10241/MG
- PM10241/BC
- PM10241/BR
- PM10241/GM

THERMOSTATIC SHOWER COLUMN

- Aero shower head in stainless steel Ø 300 mm
- Cooltouch thermostatic mixer in metal
- Tube Ø 22 mm, cuttable
- Adjustable metal hand shower holder with trigger control
- Metal adjustable wall mounting bracket
- Hose L. 1600 mm
- Hand shower Ø 120 mm - selector 3 jets : jet, massage, mix.
- Hole distance 150 mm
- Shower head flow rate 12L/mn
- Hand shower flow rate 12L/mn



rain



massage




mix



- Rotating **brass** hand shower holder
- Adjustable
- Automatic stop
- Tiltable



CoolTouch
chromed
metal






PM10125/CH

THERMOSTATIC COLUMN WITH TABLET 301x137 mm


- Shower head 250x250 mm - Stainless steel - Thickness 2 mm - Tiltable
- Cooltouch thermostatic mixer in metal and ABS
- Tube Ø 22 mm, cuttable
- Hand shower Ø 120 mm selector
- 3 jets: rain, massage, mix
- ABS hand shower holder, sliding and tiltable
- 2 brass levers for flow opening and adjustment
- Offset tube allowing greater shelf space
- Hose L. 1600 mm
- Anti-twist
- Fittings by interlocking supplied
- Tube recoupable
- Wall mounted holder in brass, adjustable
- Hole distance 150 mm
- Shower head flow rate 12L/mn
- Hand shower flow rate 12L/mn



rain

massage

mix





SHOWER COLUMNS

EVENT C250

-  PM09074/CH
-  PM09074/MB
-  PM09074/BN
-  PM09074/MG
-  PM09074/BC
-  PM09074/BR
-  PM09074/GM



- Shower head 250x250 mm - Stainless steel - Tilttable
- Tube Ø 22 mm, cuttable
- Cooltouch thermostatic mixer in metal
- New concentric hand shower Ø 120 mm : rain - massage - mix
- Handle in brass
- Adjustable ABS hand shower holder, sliding - Tilttable
- Adjustable brass wall mounting bracket
- Hose L. 1600 mm
- Hole distance 150 mm
- Shower head flow rate 12L/mn
- Hand shower flow rate 12L/mn






- PM09078/CH
- PM09078/MB
- PM09078/BN
- PM09078/MG
- PM09078/BC
- PM09078/BR
- PM09078/GM

- Shower head Ø 250 mm - Stainless steel Chrome
Thickness 2 mm - Tiltable
- Cooltouch thermostatic mixer in metal
- Tube Ø 22 mm, cuttable
- New concentric hand shower Ø 120 mm:
rain - massage - mix
- Handle in brass
- ABS hand shower holder - Tiltable -
With automatic guide
- Adjustable brass wall mounting bracket
- Hose L.1600 mm
- Hole distance 150 mm
- Shower head flow rate 12L/mn
- Hand shower flow rate 12L/mn





SHOWER COLUMNS

MILAN



PM10167/CH


- Shower head ABS Ø 200 mm
- Tube Ø 22 mm, cuttable - Tiltable
- Cooltouch thermostatic mixer in metal
- Hand shower, selector 3 jets : rain, massage, mix.
- ABS handles
- ABS sliding and tiltable hand shower holder
- Adjustable brass wall mounting bracket
- Hose L. 1600 mm
- Hole distance 150 mm
- Shower head flow rate 12L/mn
- Hand shower flow rate 12L/mn



85

SHOWER COLUMNS






PM04105/CH

DAYTONA

Thermostatic shelf mixer 308x153 mm

DAYTONA - CHROMED - CoolTouch

- Push button valve for opening and flow control
- Thermostatic handle in brass, safety block at 38°
- Fittings by interlocking supplied
- Hole distance 150 mm



PM10236/CH-W



PM10236/CH-B




- PM10236/CH
- PM10236/CH-W
- PM10236/CH-B
- PM10236/MB-B
- PM10236/BN
- PM10236/MG
- PM10236/BC
- PM10236/GM

SIMETRY

Thermostatic shelf mixer - CoolTouch

- Chrome-plated metal body
- Shelf 350 x 155 mm
- 2 metal push buttons - open/close flow and flow rate adjustment
- Push-fit fittings supplied; hole spacing 150 mm
- 1/2" outlet for hand shower hose or shower rail connection




PM04113/CH


LYON

Thermostatic shelf mixer 301x137 mm










LYON - CHROMED - CoolTouch

- Body in metal and ABS, 1 outlet
- Push button valve for opening and flow control
- Thermostatic handle in brass, safety block at 38°
- Fittings by interlocking supplied
- Hole distance 150 mm







- Metal body, 1 outlet
- Push button valve for opening and flow control
- Thermostatic handle in brass, safety block at 38°
- Fittings by interlocking supplied
- Hole distance 150 mm





87


Thermostatic shower mixer - CoolTouch

- Handle in brass for opening and flow control
- Thermostatic handle in brass, safety block at 38°
- Fittings by interlocking supplied
- Hole distance 150 mm



- Body in metal, 1 outlet
- Handles in ABS for opening and flow control
- Thermostatic handle in brass, safety block at 38°
- Fittings by interlocking supplied
- Hole distance 150 mm





PM04105/CH

Thermostatic Tablet Mixer
with Chrome Push Button
Chromed
Hole distance 150 mm

PM03004/CH

Shower rail L.1000 mm
With AERO Hand shower
selector 3 jets
Sliding metal cursor
Adjustable wall mounts

SHOWER COLUMNS



PM10019/CH

SHOWER COLUMN WITH MANUAL DIVERTER SWITCH


- Shower head Ø 250 mm Stainless steel
- Hand shower Ø 120 mm - 3 jets :
Rain - massage - mix - Anti-limescale
- Metal diverter
- Chrome
- Metal hand shower holder with trigger, sliding and tiltable
- Sliding and adjustable metal wall bracket



rain

massage

mix





89

SHOWER COLUMNS

PM04013/W

SHOWER COLUMNS WITH MANUAL DIVERTER SWITCH

- Shower head plate inox Ø 200 mm
- Hand shower ABS 1 jet
- Chrome
- ABS hand shower holder with automatic guide, sliding and tiltable
- Sliding and adjustable metal wall bracket



90

SHOWER COLUMNS



RENO EVENT



PM04147/W

SHOWER COLUMNS avec inverseur manuel

- Shower head ABS Ø 200 mm
- Hand shower ABS 1 jet
- Chrome
- ABS sliding and tiltable hand shower holder





SHOWER COLUMNS

FOR OUTDOOR INSTALLATION

PM10232/CH

2-FUNCTION SHOWER COLUMNS

floor-mounted – for outdoor installation



- 100% Stainless steel AISI316
- Shower head Ø 250 mm - Stainless steel
- Single-jet hand shower – Stainless steel
- Mechanical temperature adjustment
- Built-in box included
- 150 cm shower hose
- Equipped with recessed mounting base for water supply connections, robust to ensure product safety
- Shower column height: 2 meters



rain




stainless
steel



93


SHOWER COLUMNS



PM10156

Built-in box SwissBox
- 2 way in-wall valve

86 mm
IN-WALL







PM10158/CH

Thermostatic module,
2 functions + Chrome ABS
front panel


Set of 3 handles
Braces in ABS included
for the in-wall solution
Shower and bathtub
Metal thermostatic handle

94


SWISSBOX MIXER



PA01649/D



PA01649/S



PA01649/V

Custom handle for mounting SwissBox in a bathtub

Assembly video
SWISS BOX






SWISS BOX®

MULTIPLEX SYSTEM NDM

- SWITCH System
- Extractable push button in **ABS** for opening/closing and flow control
- Thermostatic handle in **brass** with safety block at 38°
- 2 functions with simultaneous use possible
- Maximum flow rate at 3 bar: 20 L/min



PM10158/W

Thermostatic module,
2 functions + Front panel
White Glass
Translucent




PM10158/B

Thermostatic module,
2 functions + Front panel
Black Glass
Translucent



PM10158/MB

Thermostatic module,
2 functions + Front panel
Matte black ABS



PM10158/BN

Thermostatic module,
2 functions + Front panel
Brushed Matte Nickel ABS



PM10158/MG

Thermostatic module,
2 functions + Front panel
Matte Brushed Gold ABS



PM10158/BC

Thermostatic module,
2 functions + Front panel
Matte Brushed Copper ABS



PM10158/GM

Thermostatic module,
2 functions + Front panel
Gun Metal ABS

95

SWISSBOX MIXER

96





-  PM09068/CH
-  PM09081/MB
-  PM09092/BN
-  PM09068/MG
-  PM09068/BC
-  PM09068/GM

COMPLETE SWISSBOX DESIGN ROUND KIT Ø 250 MM
including:

SwissBox in-wall body + 2 way thermostatic module, front in chromed ABS

- 3-function New Concentric hand shower
- Jet selector: rain - massage - mix
- Water connection with fixed Hand shower holder in brass
- Hose L.1600 mm
- Round shower arm in metal L.400 mm
- Round shower head in stainless steel
Ø 250 mm - Tilttable
- Anti-limescale nozzles
- Easy to clean
- Shower head flow rate 15L/mn
- Hand shower flow rate 12L/mn



98

COMPLETE KITS SWISSBOX




-  PM09069/CH
-  PM09082/MB
-  PM09093/BN
-  PM09069/MG
-  PM09069/BC
-  PM09069/GM

COMPLETE SWISSBOX DESIGN SQUARE KIT 250x250 MM
including:

SwissBox built-in body + 2-way thermostatic module, ABS front panel

- 3-function hand shower
- Jet selector: rain - massage - mix
- Water connection with fixed Hand shower holder in brass
- Hose L.1600 mm
- Metal shower arm L.400 mm
- Shower head in stainless steel
250x250 mm - Tilttable
- Anti-limescale nozzles
- Easy to clean
- Shower head flow rate 15L/mn
- Hand shower flow rate 12L/mn



Assembly video
SWISS BOX



-  PM09083/CH
-  PM09088/MB
-  PM09083/BN
-  PM09083/MG
-  PM09083/BC
-  PM09083/GM

COMPLETE SWISSBOX DESIGN ROUND KIT Ø 300 MM
including:

SwissBox built-in body + 2-way thermostatic module, ABS front panel

- 3-function New Concentric hand shower
- Jet selector: rain - massage - mix
- Water connection with fixed Hand shower holder in brass
- Hose L.1600 mm
- Round shower arm in metal L.400 mm
- Round shower head in stainless steel
Ø 300 mm - Tiltable
- Anti-limescale nozzles
- Easy to clean
- Shower head flow rate 15L/mn
- Hand shower flow rate 12L/mn




99

-  PM09084/CH
-  PM09089/MB
-  PM09084/BN
-  PM09084/MG
-  PM09084/BC
-  PM09084/GM

COMPLETE SWISSBOX DESIGN SQUARE KIT 300x300 MM
including:

SwissBox built-in body + 2-way thermostatic module, ABS front panel

- 3-function hand shower
- Jet selector: rain - massage - mix
- Water connection with fixed Hand shower holder in brass
- Hose L.1600 mm
- Metal shower arm L.400 mm
- Shower head in stainless steel
300x300 mm - Tiltable
- Anti-limescale nozzles
- Easy to clean
- Shower head flow rate 15L/mn
- Hand shower flow rate 12L/mn



COMPLETE KITS SWISSBOX

Assembly video
SWISS BOX



PM09071/B

PM09071/W

COMPLETE SWISSBOX DESIGN ROUND KIT
including:

SwissBox built-in body + 2-way thermostatic module

- New Concentric hand shower
- Jet selector: rain - massage - mix
- Water inlet with fixed brass hand shower holder
- Hose L.1600 mm
- Round shower arm in metal L.400 mm
- Round shower head in stainless steel
Ø 300 mm - Thickness 4 mm - Tilttable
- Anti-limescale nozzles
- Easy to clean
- Shower head flow rate 15L/mn
- Hand shower flow rate 12L/mn



rain

massage

mix



100

COMPLETE KITS SWISSBOX



PM09072/B

PM09072/W

COMPLETE SWISSBOX DESIGN SQUARE KIT
including:

SwissBox built-in body + 2-way thermostatic module

- Hand shower
- Jet selector: rain - massage - mix
- Water inlet with fixed brass hand shower holder
- Hose L.1600 mm
- Square metal shower arm L.400 mm
- Shower head in stainless steel 300x300 mm -
Thickness 4 mm - Tilttable
- Anti-limescale nozzles
- Easy to clean
- Shower head flow rate 15L/mn
- Hand shower flow rate 12L/mn



rain

massage

mix

Assembly video
SWISS BOX





CONCEALED THERMOSTATIC SHOWER MIXER

SWISSBOX


PM11098

SWISSBOX thermostatic mixer body with **SWITCH** system, 2 functions, built-in body only



- 2 extractable metal push buttons for opening/closing and flow adjustment
- Thermostatic handle in brass, safety block at 38°C
- Thermostatic flow rate at 3 bar: 50 L/min
- 2 push buttons, flow rate at 3 bar: 25 L/min – simultaneous operation possible
- For installation only in **HORIZONTAL** position



Metal front panel for PM11098



- PM11100/CH
- PM11100/MB
- PM11100/BN
- PM11100/MG
- PM11100/BC
- PM11100/BR
- PM11100/GM





101


PM11097

SWISSBOX thermostatic mixer body with **SWITCH** system, 2 functions, built-in body only



- 2 extractable metal push buttons for opening/closing and flow adjustment
- Thermostatic handle in brass, safety block at 38°C
- Thermostatic flow rate at 3 bar: 50 L/min
- 2 push buttons, flow rate at 3 bar: 25 L/min – simultaneous operation possible
- For installation only in **VERTICAL** position



Metal front panel for PM11097



- PM11099/CH
- PM11099/MB
- PM11099/BN
- PM11099/MG
- PM11099/BC
- PM11099/BR
- PM11099/GM







THERMOSTATIC MIXER

PM11092


SwissBox thermostatic mixer body -
3 functions – built-in box only

SWITCH system

- 3 extractable metal push buttons for opening/closing and flow rate adjustment
- Thermostatic handle in brass, safety block at 38°C
- Thermostatic flow rate at 3 bar: 50 l/min
- 3 push buttons flow rate at 3 bar: 25 l/min - simultaneous operation possible
- **For installation only in HORIZONTAL position**
- Built-in min 90 mm - max 117 mm

**Metal front panel for PM11092**

- PM11094/CH
- PM11094/MB
- PM11094/BN
- PM11094/MG
- PM11094/BC
- PM11094/BR
- PM11094/GM







PM11093



SwissBox thermostatic mixer body -
4 functions – built-in box only



SWITCH system

- 4 extractable metal push buttons for opening/closing and flow rate adjustment
- Thermostatic handle in brass, safety block at 38°C
- Thermostatic flow rate at 3 bar: 50 l/min
- 4 push buttons flow rate at 3 bar: 25 l/min - simultaneous operation possible
- **For installation only in HORIZONTAL position**
- Built-in min 90 mm - max 117 mm



**Metal front panel for PM11093**

- PM11095/CH
- PM11095/MB
- PM11095/BN
- PM11095/MG
- PM11095/BC
- PM11095/BR
- PM11095/GM





103







rain



- PM07083/CH
- PM07083/MB
- PM07083/BN
- PM07083/MG
- PM07083/BC
- PM07083/GM

Ceiling shower head 490x350 mm - 1 way

- Rain function
- 1/2" water inlet connection
- Polished Stainless steel / mirror finish
- Minimum required flow rate for rain function: 16 L/min at 1.5 bar



rain





aerated waterfall



- PM07084/CH
- PM07084/MB
- PM07084/BN
- PM07084/MG
- PM07084/BC
- PM07084/GM

Ceiling shower head 550x400 mm - 2 functions: rain + cascade

- 2 functions : rain + cascade
- Polished Stainless steel / mirror finish
- 1/2" water inlet connection
- Must be used with a 2-way mixer valve
- Minimum required flow rates:
Rain function: 16 L/min at 1.5 bar
Cascade function: 14 L/min at 2.5 bar
Simultaneous operation: 14 L/min at 2 bar





rain



- PM07082/CH
- PM07082/MB
- PM07082/BN
- PM07082/MG
- PM07082/BC
- PM07082/GM

Ceiling shower head 400x400 mm - 1 function

- Rain function
- 1/2" water inlet connection
- Polished Stainless steel / mirror finish
- Minimum required flow rate for rain function: 16 L/min at 1.5 bar





rain



- PM07088/CH
- PM07088/MB
- PM07088/BN
- PM07088/MG
- PM07088/BC
- PM07088/GM

Ceiling shower head 280x280 mm - 1 function

- Rain function
- 1/2" water inlet connection
- Polished Stainless steel / mirror finish
- Minimum required flow rate for rain function: 16 L/min at 1.5 bar



CHROMOTHERAPY RAIN CEILING SHOWER



CONTROL BOX INCLUDED -
CHROME FRONT PANEL





rain

- PM07086/CH
- PM07086/MB
- PM07086/BN
- PM07086/MG
- PM07086/BC
- PM07086/GM

Ceiling shower head 400x400 1 function - 4 LED

- Rain function
- 1/2" water inlet connection
- 4 RGB LEDs with wall-mounted control box for illuminated switch
- Low-voltage transformer (12V)
- Polished Stainless steel / mirror finish
- Minimum required flow rate for rain function: 16 L/min at 1.5 bar



CONTROL BOX INCLUDED -
CHROME FRONT PANEL





rain

- PM07087/CH
- PM07087/MB
- PM07087/BN
- PM07087/MG
- PM07087/BC
- PM07087/GM

Ceiling shower head 320x320 1 function - 4 LED

- Rain function
- 1/2" water inlet connection
- 4 RGB LEDs with wall-mounted control box for illuminated switch
- Low-voltage transformer (12V)
- Polished Stainless steel / mirror finish



105



CONTROL BOX INCLUDED -
CHROME FRONT PANEL



aerated waterfall





rain

- PM07089/CH
- PM07089/MB
- PM07089/BN
- PM07089/MG
- PM07089/BC
- PM07089/MG

Ceiling shower head 850x540 3 functions - 6 LED

- 3 functions: rain + double cascade + mist
- 1/2" water inlet connection
- 6 RGB LEDs with wall-mounted control box for illuminated switch
- Low-voltage transformer (12V)
- Stainless steel support frame included
- Must be used with a 3-way mixer
- Minimum required flow rates:
 - Rain function: 16 L/min at 1.5 bar
 - Cascade function: 14 L/min at 2.5 bar
 - Simultaneous function: 14 L/min at 2 bar



SHOWER HEADS



aerated waterfall





rain

- PM07090/CH
- PM07090/MB
- PM07090/BN
- PM07090/MG
- PM07090/BC
- PM07090/MG

Ceiling shower head 850x540 3 functions

- 3 functions: rain + double cascade + mist
- 1/2" water inlet connection
- Must be used with a 3-way mixer
- Polished Stainless steel / mirror finish
- Minimum required flow rates:
 - Rain function: 16 L/min at 1.5 bar
 - Cascade function: 14 L/min at 2.5 bar
 - Simultaneous function: 14 L/min at 2 bar







-  PM07091/CH
-  PM07091/MB
-  PM07091/BN
-  PM07091/MG
-  PM07091/BC
-  PM07091/GM

Ceiling shower head visor design, 2 functions,
Rectangular wall-mounted steel - 2 mm - 1 jet rain
+ cascade, 480x250 mm


- 2 functions : rain + cascade
- Polished Stainless steel / mirror finish
- 1/2" water inlet connection
- Must be used with a 2-way mixer valve
- Minimum required flow rates:
- Rain function: 16 L/min at 1.5 bar
- Cascade function: 14 L/min at 2.5 bar
- Simultaneous function: 14 L/min at 2 bar



-  PM07092/CH
-  PM07092/MB
-  PM07092/BN
-  PM07092/MG
-  PM07092/BC
-  PM07092/GM

Ceiling shower head visor design, 2 functions,
Rectangular wall-mounted steel - 2 mm - 1 jet
rain, 480x250 mm


- 2 functions : rain + cascade
- Polished Stainless steel / mirror finish
- 1/2" water inlet connection
- Must be used with a 2-way mixer valve
- Minimum required flow rate for rain function:
- 16 L/min at 1.5 bar



-  PM07093/CH
-  PM07093/MB
-  PM07093/BN
-  PM07093/MG
-  PM07093/BC
-  PM07093/GM

Rounded visor wall-mounted steel shower head
540x250 mm - 2 mm - 1 function



- Rain function
- 1/2" water inlet connection
- Polished Stainless steel / mirror finish
- Minimum required flow rate for rain function:
- 16 L/min at 1.5 bar



-  PM07094/CH
-  PM07094/MB
-  PM07094/BN
-  PM07094/MG
-  PM07094/BC
-  PM07094/GM

Rectangular rounded visor wall-mounted steel
shower head, 2 functions: rain and cascade,
540x250 mm, 2 mm thickness

- Rain and cascade jet
- 1/2" water inlet connection
- Polished Stainless steel / mirror finish
- Minimum required flow rates:
- Rain function: 16 L/min at 1.5 bar
- Cascade function: 14 L/min at 2.5 bar
- Simultaneous function: 14 L/min at 2 bar



SHOWER HEADS



rain

Stainless steel Chrome, Thickness 4 mm


- Anti-limescale nozzles
- Membrane in drip-stop SILICON
- Satin finish
- Shower head flow rate 15L/mn
- Polished Stainless steel / mirror finish



PM10007/CH - Round Ø 250 mm



PM10008/CH - Round Ø 300 mm



rain

Stainless steel Chrome, Thickness 4 mm


- Anti-limescale nozzles
- Membrane in drip-stop SILICON
- Rounded corners
- Satin finish
- Shower head flow rate 15L/mn
- Polished Stainless steel / mirror finish



PM10009/CH - Square 250x250 mm



PM10010/CH - Square 300x300 mm



NEW ITEMS
powder jet



powder
jet



AERO

Stainless steel Chrome, Thickness 6 mm

- Anti-limescale nozzles
- Membrane in drip-stop SILICON
- AERO Systeme Rain
- Shower head flow rate 15L/mn
- Polished Stainless steel / mirror finish



PM07065/CH - Round Ø 250 mm



PM07065/MB - Round Ø 250 mm



PM07065/BN - Round Ø 250 mm



PM07065/MG - Round Ø 250 mm




PM07065/BC - Round Ø 250 mm



PM07065/BR - Round Ø 250 mm



PM07065/GM - Round Ø 250 mm



rain

Stainless steel Chrome, Thickness 6 mm


- Anti-limescale nozzles
- Membrane in drip-stop SILICON
- Shower head flow rate 15L/mn
- Polished Stainless steel / mirror finish



PM07052/CH - Round Ø 250 mm





PM07053/CH - Round Ø 300 mm



107


SHOWER HEADS



Stainless steel Chrome, Thickness 6 mm

- Anti-limescale nozzles
- Membrane in drip-stop SILICON
- Shower head flow rate 15L/mn
- Polished Stainless steel / mirror finish



- PM07057/CH - Square 250x250 mm
- PM07058/CH - Square 300x300 mm



Stainless steel Chrome

- Anti-limescale nozzles
- Membrane in drip-stop SILICON
- Polished Stainless steel / mirror finish



- PM07014/CH - Round Ø 200 mm
- PM07015/CH - Round Ø 250 mm
- PM07015/BN - Round Ø 250 mm
- PM07015/MG - Round Ø 250 mm
- PM07015/BC - Round Ø 250 mm
- PM07015/BR - Round Ø 250 mm
- PM07015/GM - Round Ø 250 mm
- PM07016/CH - Round Ø 300 mm
- PM07016/BN - Round Ø 300 mm
- PM07016/MG - Round Ø 300 mm
- PM07016/BC - Round Ø 300 mm
- PM07016/BR - Round Ø 300 mm
- PM07016/GM - Round Ø 300 mm



Stainless steel Chrome

- Anti-limescale nozzles
- Membrane in drip-stop SILICON
- Polished Stainless steel / mirror finish

- PM07010/CH - Square 200x200 mm
- PM07011/CH - Square 250x250 mm
- PM07011/BN - Square 250x250 mm
- PM07011/MG - Square 250x250 mm
- PM07011/BC - Square 250x250 mm
- PM07011/GM - Square 250x250 mm
- PM07012/CH - Square 300x300 mm
- PM07012/BN - Square 300x300 mm
- PM07012/MG - Square 300x300 mm
- PM07012/BC - Square 300x300 mm
- PM07012/BR - Square 300x300 mm
- PM07012/GM - Square 300x300 mm



SHOWER HEADS




rain

Stainless steel Matte black, Thickness 8 mm

- Anti-limescale nozzles
- Membrane in drip-stop SILICON

PM07067/MB - Round Ø 250 mm

PM07071/MB - Round Ø 300 mm




rain

Stainless steel Matte black, Thickness 8 mm

- Anti-limescale nozzles
- Membrane in drip-stop SILICON

PM07068/MB - Square 250x250 mm

PM07072/MB - Square 300x300 mm




rain

- PM07080/CH
- PM07080/MB
- PM07080/BN
- PM07080/MG
- PM07080/BC
- PM07080/BR
- PM07080/GM

Head shower SPOT

- 1 jet - 3 Anti-limescale aerator
- Shower head tiltable



109

SHOWER HEADS




powder jet

aerated waterfall

- PM07104/CH
- PM07104/MB
- PM07104/BN
- PM07104/MG
- PM07104/BC
- PM07104/BR
- PM07104/GM

Shower head with shower arm

- 2 jets: rain spray (with 4 micro-holes in one jet) + cascade
- Size: Ø 320 mm × 38 mm
- With adjustable-angle brass shower arm
- Built-in box body included with housing






aerated waterfall

-  PM07095/CH
-  PM07095/MB
-  PM07095/BN
-  PM07095/MG
-  PM07095/BC
-  PM07095/GM

Square wall-mounted cascade shower spout in metal, 170 mm

- 1/2" water inlet connection
- Stainless steel




aerated waterfall

-  PM07096/CH
-  PM07096/MB
-  PM07096/BN
-  PM07096/MG
-  PM07096/BC
-  PM07096/GM

Round wall-mounted cascade shower spout in metal Ø 170 mm

- 1/2" water inlet connection
- Stainless steel



110

BATH SPOUTS AND SIDE JETS




rain

-  PM07097/CH
-  PM07097/MB
-  PM07097/BN
-  PM07097/MG
-  PM07097/BC
-  PM07097/GM

Side jet for body with rounded edges 65x65 mm

- 65x65 mm
- With 4 L/min flow limiter
- Anti-limescale
- 1/2" water inlet connection
- Brass
- With 6 L/min flow reducer




rain

-  PM07098/CH
-  PM07098/MB
-  PM07098/BN
-  PM07098/MG
-  PM07098/BC
-  PM07098/GM

Adjustable square body side jet 60x60 mm

- Square 65x65 mm
- With 4 L/min flow limiter
- Anti-limescale
- 1/2" water inlet connection
- Brass
- With 6 L/min flow reducer



BATH SPOUTS AND SIDE JETS




-  PM07099/CH
-  PM07099/MB
-  PM07099/BN
-  PM07099/MG
-  PM07099/BC
-  PM07099/GM

Adjustable rounded side body jet Ø 60 mm



rain

- Round Ø 60 mm
- With 4 L/min flow limiter
- Anti-limescale
- 1/2" water inlet connection
- Brass
- With 6 L/min flow reducer




-  PM07100/CH
-  PM07100/MB
-  PM07100/BN
-  PM07100/MG
-  PM07100/BC
-  PM07100/GM

Body jet mist effect Ø 50 mm



jet
brume

- Round Ø 50 mm
- 1/2" water inlet connection
- Brass
- Mist spray
- With 6 L/min flow reducer




-  PM07101/CH
-  PM07101/MB
-  PM07101/BN
-  PM07101/MG
-  PM07101/BC
-  PM07101/GM

Adjustable body side jet Ø 50 mm



rain

- Round Ø 50 mm
- 1/2" water inlet connection
- Brass
- Jet tiltable
- With 6 L/min flow reducer



111




- ☒ PM07063/CH
- ☒ PM07063/MB

Shower head - ABS
- Ø 200 mm
- Anti-limescale nozzles




- ☒ PM07081/CH
- ☒ PM07081/MB

Shower head - ABS
- Ø 250 mm
- Anti-limescale nozzles





IDEAL FOR INSTALLATION OF AN OUTDOOR POOL SHOWER



- ☒ PM07002/CH

Reflex Shower head
- Wall bracket in **brass**
- Hand shower in chromed **ABS** with 3 functions
- Tiltable
- Shower arm in chromed metal



- ☒ PM07005/CH

Reflex Shower head
- Wall bracket in **brass**
- Chrome **ABS** hand shower, 1 function
- Tiltable
- Shower arm in chromed metal




SHOWER ARMS

Square brass shower arms




-  PM10011/CH - 400 mm
-  PM10011/MB - 400 mm
-  PM10011/BN - 400 mm
-  PM10011/MG - 400 mm
-  PM10011/BC - 400 mm
-  PM10011/BR - 400 mm
-  PM10011/GM - 400 mm
- 
-  PM10012/CH - 450 mm



Round brass shower arms - Ø 24 mm





-  PM10013/CH - 400 mm
-  PM10013/MB - 400 mm
-  PM10013/BN - 400 mm
-  PM10013/MG - 400 mm
-  PM10013/BC - 400 mm
-  PM10013/BR - 400 mm
-  PM10013/GM - 400 mm
-  PM10014/CH - 450 mm



Square brass ceiling shower arm
22x22 mm - length 125 mm




- | | |
|---|------------|
|  | PM10015/CH |
|  | PM10015/MB |
|  | PM10015/BN |
|  | PM10015/MG |
|  | PM10015/BC |
|  | PM10015/BR |
|  | PM10015/GM |



Round brass ceiling shower arm
Ø 24 mm – length 125 mm




- | | |
|---|------------|
|  | PM10016/CH |
|  | PM10016/MB |
|  | PM10016/BN |
|  | PM10016/MG |
|  | PM10016/BC |
|  | PM10016/BR |
|  | PM10016/GM |



Round brass shower arm
Ø 22 mm – length 350 mm




- PM10086/CH



Round brass ceiling shower arm Ø 22 mm



-  **PM10087/CH**
Length 200 mm




PRISES D'EAU




-  PM10027/CH
-  PM10027/MB
-  PM10027/BN
-  PM10027/MG
-  PM10027/BC
-  PM10027/BR
-  PM10027/GM

Round water inlet without wall-mounted brass holder




-  PM10030/CH
-  PM10030/MB
-  PM10030/BN
-  PM10030/MG
-  PM10030/BC
-  PM10030/BR
-  PM10030/GM

Round metal hand shower holder



-  PM10028/CH
-  PM10028/MB
-  PM10028/BN
-  PM10028/MG
-  PM10028/BC
-  PM10028/BR
-  PM10028/GM

Square water inlet with fixed metal hand shower holder




115

ACCESSORIES




-  PM10031/CH
-  PM10031/MB
-  PM10031/BN
-  PM10031/MG
-  PM10031/BC
-  PM10031/BR
-  PM10031/GM

Square metal hand shower holder



-  PM10029/CH
-  PM10029/MB
-  PM10029/BN
-  PM10029/MG
-  PM10029/BC
-  PM10029/BR
-  PM10029/GM


Square water inlet without wall-mounted brass holder





PA01345/CH

Cylindrical hand shower holder, adjustable, in ABS - CHROMED




PM10033/CH




PM10033/MB

Spacer - CHROMED ABS
Thickness 7 mm
Compatible with: PM03004
- PM03005 - PM03006 -
PM03001/100 - PM03001/70 -
PM10142 - PM09074 - PM10167




PM10050/CH

Wall-mounted hand shower holder
Hose 2000 mm
- With rotating cones at both ends




PM01233/CH

Holder in brass, CHROMED




PM10088/CH

Spacer for corner installation of shower bar
PM10080 + PM10081 - CHROMED ABS



PM10089/CH


Spacer. 7 mm thickness for shower rail
PM10080 + PM10081
- Chrome ABS






PM09085/GM

- Brass click-clack waste plug Ø 63 mm
- Maximum height adjustment: 70 mm
- Waste supplied with system for free flow drain



PM09144/GM

- Maximum depth: 66 mm – height: 90-100 mm max
- Internal brass body
- Brass cover
- Brass nut
- Thermoplastic rubber seals
- Opening and closing: push-button operation
- With overflow channel
- Threaded pipe diameter: Ø 1"1/4
- Installation support thickness: 22-65 mm




117




PM09111/GM


- Removable brass waste plug
- Brass opening/closing handle
- Extendable pipe: min 500 mm – max 1050 mm
- Integrated siphon with adapter pipe



PM09145/GM



- Removable brass click-clack plug – brass waste
- Distribution outlet with brass opening
- Extendable pipe: min 500 mm / max 1050 mm
- Integrated siphon with adapter pipe





PM04151

PM04152



-  PM12036/CH
-  PM12036/MB
-  PM12036/BN
-  PM12036/MG
-  PM12036/BC
-  PM12036/BR
-  PM12036/GM


Built-in wall-mounted mechanical basin mixer box – for complete mixer PM11036 and PM10036/Q

- Built-in box with steel mounting plate
- Cuttable box included
- Mechanical mixer with pre-set temperature adjustment
- Front panel compatible with PM04151 and PM04152
- Spout trim compatible with PM90032

-  PM12035/CH
-  PM12035/MB
-  PM12035/BN
-  PM12035/MG
-  PM12035/BC
-  PM12035/BR
-  PM12035/GM

Built-in wall-mounted mechanical basin mixer box with temperature adjustment – for complete mixer PM11035 and PM11035/Q

- Built-in box with steel mounting plate
- No cuttable box included
- Push-button mixer with pre-set temperature adjustment
- Stainless steel rosettes for compatible front panels PM04153 + PM04154 + PM04155 + PM04156
- Spout trim compatible with PM90032



PM04153

PM04154

PM04155

PM04156



-  PM12032/CH
-  PM12032/MB
-  PM12032/BN
-  PM12032/MG
-  PM12032/BC
-  PM12032/BR
-  PM12032/GM

Built-in wall-mounted mechanical shower mixer box with temperature adjustment – for complete mixer PM11032 and PM11032/Q

- Built-in box with steel mounting plate
- Cuttable box included
- Mechanical mixer with pre-set temperature adjustment
- Front panel compatible with PM04157 and PM04158



PM04157

PM04158



BUILT-IN BOX BODY



PM04153




PM04155




-  PM12031/CH
-  PM12031/MB
-  PM12031/BN
-  PM12031/MG
-  PM12031/BC
-  PM12031/BR
-  PM12031/GM

Built-in wall-mounted mechanical shower mixer box with temperature adjustment – for complete mixer PM11031 and PM11031/Q


- Built-in box with steel mounting plate
- No cuttable box included
- Mechanical mixer with pre-set temperature adjustment
- Front panel compatible PM04153 and PM04155



PM04151




PM04152



-  PM12038/CH
-  PM12038/MB
-  PM12038/BN
-  PM12038/MG
-  PM12038/BC
-  PM12038/BR
-  PM12038/GM

Built-in wall-mounted mechanical basin mixer box push-button – for complete mixer PM11038 and PM10038/Q

- Built-in box with steel mounting plate
- Cuttable box included
- Push-button mixer with pre-set temperature adjustment
- Front panel compatible with PM04151 and PM04152
- Spout trim compatible with PM90032



PM04153



PM04154



PM04155



PM04156




-  PM12037/CH
-  PM12037/MB
-  PM12037/BN
-  PM12037/MG
-  PM12037/BC
-  PM12037/BR
-  PM12037/GM


Built-in wall-mounted push-button basin mixer box with temperature adjustment – for complete mixer PM11037 and PM10037/Q

- Built-in box with steel mounting plate
- No cuttable box included
- Push-button mixer with pre-set temperature adjustment
- Stainless steel rosettes for compatible front panels PM04153 + PM04154 + PM04155 + PM04156
- Spout trim compatible with PM90032






PM04157



PM04158



ONE
FOR ALL

- PM12034/CH
- PM12034/MB
- PM12034/BN
- PM12034/MG
- PM12034/BC
- PM12034/BR
- PM12034/GM

Built-in wall-mounted push-button shower mixer box with temperature adjustment – for complete mixer PM11034 and PM11034/Q

- Built-in box with steel mounting plate
- Cuttable box included
- Push-button mixer with pre-set temperature adjustment
- Front panel compatible PM04157 and PM04158

ONE
FOR ALL

- PM12033/CH
- PM12033/MB
- PM12033/BN
- PM12033/MG
- PM12033/BC
- PM12033/BR
- PM12033/GM

Built-in wall-mounted push-button shower mixer box with temperature adjustment – for complete mixer PM11034 and PM11034/Q

- Built-in box with steel mounting plate
- No cuttable box included
- Push-button mixer with pre-set temperature adjustment
- Stainless steel rosettes for compatible front panels
PM04153 + PM04154 + PM04155 + PM04156
- Spout trim compatible with PM90032

ONE
FOR ALL

- PM12072/CH
- PM12072/MB
- PM12072/BN
- PM12072/MG
- PM12072/BC
- PM12072/BR
- PM12072/GM


Body for 2-way shower mixer – push-button and manual diverter – For complete 2-way mixer PM11072

- Steel mounting plate for wall installation
- Cuttable box included
- Built-in box body, fixed tapware, pre-installed
- Adaptable front panel PM04164 - PM04165
- OneForAll handles and diverter included

ONE
FOR ALL

120

SPARE PARTS



PM04153




PM04155




ONE
FOR ALL


PM04164




PM04165




ONE
FOR ALL




BUILT-IN BOX BODY



PM04164



PM04165




ONE
FOR ALL

- PM12076/CH
- PM12076/MB
- PM12076/BN
- PM12076/MG
- PM12076/BC
- PM12076/BR
- PM12076/GM

Body for 2-way shower mixer – 2 push buttons with temperature adjustment – for complete 2-way mixer PM11076

- Steel mounting plate for wall installation
- Cutable box included
- Built-in box body, fixed tapware, pre-installed
- Adaptable front panel PM04164 - PM04165
- OneForAll handles included



PM04153



PM04155




ONE
FOR ALL


- PM12078/CH
- PM12078/MB
- PM12078/BN
- PM12078/MG
- PM12078/BC
- PM12078/BR
- PM12078/GM

Body for 2-way shower mixer – 2 push buttons with temperature adjustment – for complete 2-way mixer PM11078

- Steel mounting plate for wall installation
- No cuttable box included
- 2 built-in box bodies, fixed tapware, pre-installed
- Adaptable front panel PM04153 - PM04155
- OneForAll handles included



PM04166




ONE
FOR ALL

- PM12077/CH
- PM12077/MB
- PM12077/BN
- PM12077/MG
- PM12077/BC
- PM12077/BR
- PM12077/GM


Body for 3-way shower mixer – 3 push buttons with temperature adjustment – for complete 3-way mixer PM11077

- Steel mounting plate for wall installation
- With cuttable box included
- 3 built-in box bodies, fixed tapware, pre-installed
- Adaptable front panel PM04153 - PM04155
- OneForAll handles included


-  PM04151/CH
-  PM04151/MB
-  PM04151/BN
-  PM04151/MG
-  PM04151/BC
-  PM04151/BR
-  PM04151/GM




Oval front panel 206x100 mm
 - In Stainless steel
 - Adaptable PM12038 - PM12036




-  PM04152/CH
-  PM04152/MB
-  PM04152/BN
-  PM04152/MG
-  PM04152/BC
-  PM04152/BR
-  PM04152/GM




Rectangular front panel 206x100 mm
 - In Stainless steel
 - Adaptable PM12038 - PM12036




-  PM04154/CH
-  PM04154/MB
-  PM04154/BN
-  PM04154/MG
-  PM04154/BC
-  PM04154/MG
-  PM04154/BC




Round rosette $\phi 70$ mm for front panel
 - In Stainless steel
 - For adjustable spout PM90032




-  PM04153/CH
-  PM04153/MB
-  PM04153/BN
-  PM04153/MG
-  PM04153/BC
-  PM04153/BR
-  PM04153/GM




Round rosette for front panel
 - In Stainless steel
 - For concealed basin mixer, without adjustable box
 - Adaptable PM12078 - PM12033 - PM12037 - PM12031 - PM12035




FRONT PLATE AND ROSETTE




-  PMO4156/CH
-  PMO4156/MB
-  PMO4156/BN
-  PMO4156/MG
-  PMO4156/BC
-  PMO4156/BR
-  PMO4156/GM




Square rosette 70x70 mm for front panel
 - In Stainless steel
 - For adjustable spout PM90032




-  PMO4155/CH
-  PMO4155/MB
-  PMO4155/BN
-  PMO4155/MG
-  PMO4155/BC
-  PMO4155/BR
-  PMO4155/GM




Square rosette 70x70 mm for front panel
 - In Stainless steel
 - For concealed basin mixer, without adjustable box
 - Adaptable PM12078 - PM12033 - PM12037 - PM12031 - PM12035




-  PMO4157/CH
-  PMO4157/MB
-  PMO4157/BN
-  PMO4157/MG
-  PMO4157/BC
-  PMO4157/BR
-  PMO4157/GM



Round rosette Ø 100 mm for front panel
 - In Stainless steel
 - For concealed basin mixer with cuttable box included
 - Adaptable PM12077 - PM12076 - PM12034 - PM12032




-  PMO4158/CH
-  PMO4158/MB
-  PMO4158/BN
-  PMO4158/MG
-  PMO4158/BC
-  PMO4158/BR
-  PMO4158/GM



Square rosette 100x100 mm for front panel
 - In Stainless steel
 - For concealed basin mixer with cuttable box included
 - Adaptable PM12077 - PM12076 - PM12072 - PM12034 - PM12032



123

SPARE PARTS




PM04173/MB

Oval front panel 206x100 mm
- Stainless steel PM13038 - ANUBI





PM04174/MB

Round front rosette Ø 70 mm
- Stainless steel PM13038 - ANUBI





- PM04171/CH
- PM04171/MB
- PM04171/BN
- PM04171/GM
- PM04171/BC
- PM04171/BR
- PM04171/GM

SENTRY front panel – Oval 206x100 mm
- Stainless steel
- for PM11058 and PM11060




- PM04172/CH
- PM04172/MB
- PM04172/BN
- PM04172/GM
- PM04172/BC
- PM04172/BR
- PM04172/GM

SENTRY front rosette – round Ø 70 mm
- Stainless steel
- for PM11057 and PM11060





FRONT PLATE AND ROSETTE





-  PM04164/CH
-  PM04164/MB
-  PM04164/BN
-  PM04164/MG
-  PM04164/BC
-  PM04164/BR
-  PM04164/GM

Oval front panel 206×100 mm
 - 2-way
 - In Stainless steel
 - for PM12072




-  PM04168/CH
-  PM04168/MB
-  PM04168/BN
-  PM04168/MG
-  PM04168/BC
-  PM04168/BR
-  PM04168/GM

OneForAll rectangular front panel with
 diverter 206×100 mm
 - 2-way in Stainless steel
 - for PM12072




-  PM04169/CH
-  PM04169/MB
-  PM04169/BN
-  PM04169/MG
-  PM04169/BC
-  PM04169/BR
-  PM04169/GM

Rectangular front panel
 - 2-way
 - 2 OneForAll
 - Stainless steel
 - for PM12076





125

SPARE PARTS





- PM04165/CH
- PM04165/MB
- PM04165/BN
- PM04165/MG
- PM04165/BC
- PM04165/BR
- PM04165/GM

Front panel 206x100 mm
- 2-way
- In Stainless steel
- for PM12076




- PM04166/CH
- PM04166/MB
- PM04166/BN
- PM04166/MG
- PM04166/BC
- PM04166/BR
- PM04166/GM

Front panel 340x100 mm
- 3-way
- In Stainless steel
- for PM11077




- PM04170/CH
- PM04170/MB
- PM04170/BN
- PM04170/MG
- PM04170/BC
- PM04170/BR
- PM04170/GM

OneForAll oval 3 front panel 340x100 mm
- for PM11077





AESTHETIC




-  PM90032/CH
-  PM90032/MB
-  PM90032/BN
-  PM90032/MG
-  PM90032/BC
-  PM90032/BR
-  PM90032/GM

Adjustable spout for concealed wall-mounted basin mixer
 - Length Min. 225 mm
 - Compatible with PM12038 and PM12037




-  PM90031/CH
-  PM90031/MB
-  PM90031/BN
-  PM90031/MG
-  PM90031/BC
-  PM90031/BR
-  PM90031/GM

Short spout, length 170 mm
 - for PM12037 - PM12038 - PM12037/Q
 - PM12038/Q - PM11035 - PM11035/Q -
 PM11036 - PM11036/Q




SPARE PARTS


127



-  PM90022/CH
-  PM90022/MB
-  PM90022/BN
-  PM90022/MG
-  PM90022/BC
-  PM90022/BR
-  PM90022/GM


PRIMIS metal handle, mechanical mixer
 - Adaptable on PM12031 - PM12032 - PM12035
 - PM12036






PM09109

Built-in box body with cuttable box
for bath spout





128

SPARE PARTS




- PM04163/CH
- PM04163/MB
- PM04163/BN
- PM04163/MG
- PM04163/BC
- PM04163/BR
- PM04163/GM


Rosette
- for PM09107/Q



- PM04176/CH
- PM04176/MB
- PM04176/BN
- PM04176/MG
- PM04176/BC
- PM04176/BR
- PM04176/GM

Round rosette
- Stainless steel for PM09107








-  PMO4175/CH
-  PMO4175/MB
-  PMO4175/BN
-  PMO4175/MG
-  PMO4175/BC
-  PMO4175/BR
-  PMO4175/GM

Bath spout for PM09107/Q

- Length 192.2 mm
- Ø 26 mm
- Brass
- With anti-limescale aerator



-  PMO4178/CH
-  PMO4178/MB
-  PMO4178/BN
-  PMO4178/BC
-  PMO4178/BR
-  PMO4178/GM

SwissBox metal front panel for flush installation

Complete 2 mm plate for SwissBox, new flush-mount solution. For this code, it is necessary to request the instruction manuals from our technical service NDW.



- PM09115/CH
- PM09115/MB
- PM09115/BN
- PM09115/MG
- PM09115/BC
- PM09115/GM

Toothbrush holder
Metal and glass.



- PM09116/CH
- PM09116/MB
- PM09116/BN
- PM09116/MG
- PM09116/BC
- PM09116/GM

Soap holder
Metal and glass.



- PM09117/CH
- PM09117/MB
- PM09117/BN
- PM09117/MG
- PM09117/BC
- PM09117/GM

Towel holder 350 mm
Metal.



- PM09118/CH
- PM09118/MB
- PM09118/BN
- PM09118/MG
- PM09118/BC
- PM09118/GM

Towel holder 600 mm
Metal.

BATHROOM ACCESSORIES



-  PM09119/CH
-  PM09119/MB
-  PM09119/BN
-  PM09119/MG
-  PM09119/BC
-  PM09119/GM

Double towel holder
Length 36 cm
Metal.



-  PM09120/CH
-  PM09120/MB
-  PM09120/BN
-  PM09120/MG
-  PM09120/BC
-  PM09120/GM

Toilet paper holder
Metal.



-  PM09121/CH
-  PM09121/MB
-  PM09121/BN
-  PM09121/MG
-  PM09121/BC
-  PM09121/GM

Pair of hooks (*2)
Metal.



-  PM09122/CH
-  PM09122/MB
-  PM09122/BN
-  PM09122/MG
-  PM09122/BC
-  PM09122/GM

Towel ring
Metal.



- PM09123/CH
- PM09123/MB
- PM09123/BN
- PM09123/MG
- PM09123/BC
- PM09123/GM

Liquid soap dispenser
Metal and glass.



- PM09124/CH
- PM09124/MB
- PM09124/BN
- PM09124/MG
- PM09124/BC
- PM09124/GM

3L pedal bin
Acier et contenant ABS.



- PM09125/CH
- PM09125/MB
- PM09125/BN
- PM09125/MG
- PM09125/BC
- PM09125/GM

3x magnifying mirror
Metal.



- PM09126/CH
- PM09126/MB
- PM09126/BN

650 mm multi-bar towel holder
Metal.

BATHROOM ACCESSORIES



-  PM09127/CH
-  PM09127/MB
-  PM09127/BN
-  PM09127/MG
-  PM09127/BC
-  PM09127/GM

Wall-mounted toilet brush holder
Metal and glass.



-  PM09128/CH
-  PM09128/MB
-  PM09128/BN
-  PM09128/MG
-  PM09128/BC
-  PM09128/GM

Freestanding toilet brush holder
Metal et contenant ABS.



-  PM09129/CH
-  PM09129/MB
-  PM09129/BN

Tissue dispenser
Stainless steel.



-  PM09130/CH
-  PM09130/MB
-  PM09130/BN

Sanitary bag dispenser
Stainless steel.




- PM09131/CH
- PM09131/MB
- PM09131/BN
- PM09131/MG
- PM09131/BC
- PM09131/GM

Corner shower shelf
Stainless steel.




- PM09132/CH
- PM09132/MB
- PM09132/BN
- PM09132/MG
- PM09132/BC
- PM09132/GM

RECTANGULAR shower shelf
Stainless steel.



- PM09133/CH
- PM09133/MB
- PM09133/MG
- PM09133/BC
- PM09133/GM

Shower caddy with hook attachment
Stainless steel.



- PM09134/CH
- PM09134/MB
- PM09134/BN
- PM09134/MG
- PM09134/BC
- PM09134/GM

Freestanding towel holders
Metal.

BATHROOM ACCESSORIES



-  PM09135/MB
-  PM09135/BN

30×30 cm wall/shower niche



-  PM09136/MB
-  PM09136/BN

30×60 cm wall/shower niche



-  PM09137/CH
-  PM09137/MB
-  PM09137/BN
-  PM09137/MG
-  PM09137/BC
-  PM09137/GM

30 cm shower shelf / towel holder
Stainless steel.



-  PM09138/CH
-  PM09138/MB
-  PM09138/BN
-  PM09138/MG
-  PM09138/BC
-  PM09138/GM

50 cm shower shelf / towel holder
Stainless steel.

SHOWER COLUMNS AND THERMOSTATIC SYSTEMS	REF. NDW		KUBRIK	RAINDROP	SIMETRY	P38	PARIS
				PM10150	PM10154		PM10021
Adjustable eccentric connector - 1 piece	PM04111						
ON-OFF push-button kit with flow adjustment + removal key - 1 piece CHROME	PM09036			X	X		X
Thermostatic cartridge	PA06003			X	X		X
ON-OFF push button with flow adjustment	PM09011		X	X	X		X
Thermostatic cartridge kit + removal key, CHROME	PM09037			X	X		X
CHROME eccentric connectors	PM04017						X
Eccentric connectors	PM04139				X		
CHROME thermostatic cartridge	PA05575		X				
L connector - KUBRIK CHROME	PA00575		X				
KUBRIK connector	PA05558		X				
Flow opening/closing head, CHROME	PA06004						
Eccentric kit + rosettes (pair)	PA05398						
Thermostatic cartridge	PA06008						
Diverter cartridge	PA06012						
Flow opening/closing head	PA06018						
Brass thermostatic handle for SwissBox, CHROME	PM01474						
Brass thermostatic handle	PM05054/CH			X			
On-off push button with flow adjustment for SWISSBOX with control heads	PM01476						
Ceramic cartridge	PA06020						
Aerator mousseur	PA09130						
Ceramic cartridge	PA06019						
CHROME thermostatic handle	PM90002/CH						
CHROME diverter handle	PA05324/CH						
Two-piece tube - cuttable, CHROME	PM04002/CH						
Ergonomic brass handle, CHROME	PA05830/CH						
ABS handle for thermostatic, CHROME	PM05055/CH						
ABS handle for diverter, CHROME	PM05056/CH						
Brass thermostatic handle - PROVENCE CHROME	PM05054/CH						
Brass thermostatic handle - PARIS CHROME	PM90009/CH						X
Brass thermostatic handle - PARIS NOIR MAT	PM90009/BM						X
Brass thermostatic handle - SIMETRY CHROME	PM90012/CH				X		
Long brass slider, CHROME	PM01048/CH			X	X		
Cricket long brass slider, CHROME	PM09079/CH						
Cricket short brass slider, CHROME	PM09004/CH						X
Sliding brass wall support, CHROME	PM01049/CH						

SPARE PARTS

DAYTONA	AVANTGARDE	PROVENCE	LYON	EVENT EVENT C	MILAN	SWISSBOX	Basin mixer	Shower mixer	Bath shower mixer
PM10114	PM10201/CH PM10201/MB	PM10194/MB-MB PM10194/MB-CH PM10194/CH-CH PM10194/CH-W PM10194/CH-B PM10195/W-W PM10196/W-W	PM10125	PM09074 PM0401-Z PM09074/CH PM0974/MB PM09078/CH PM04143/MB	PM10167 PM0401-B	PM10158	PM11011	PM11013	PM11012
X									
X		X							
X		X	X			X			
X		X							
X		X				X			
			X						
			X						
				X	X			X	X
				X	X				
				X	X				
						X			
X									
						X			
							X		
							X		
				X				X	X
				X					
				X					
				X					
		X							
X									
				X	X				

COLONNES ET THERMOSTATIQUES	REF. NDW		PROVENCE	PRIMIS	ONE FOR ALL
			PM10194/MB-MB PM10194/MB-CH PM10194/CH-CH PM10194/CH-W PM10195/W-W PM10196/W-W		PM11033/CH PM11034/CH PM11037/CH PM11038/CH PM11034/Q/CH PM11033/Q/CH PM10188/CH PM10189/CH PM10190/CH PM10191/CH
Oval ABS hand shower holder slider, CHROME	PM01044/CH		X		
Round ABS hand shower holder slider, CHROME	PM01257/CH				
Push-button valve with temperature adjustment (ONE FOR ALL)	PM09087				X
ECOBUE shower and bath mixer cartridge	PA06019				
PRIMIS aerator mousseur, CHROME	PA09079			X	
Cold water flexible hose	PM10170/B			X	
Hot water flexible hose	PM10170/R			X	
PRIMIS mixer handle, CHROME	PM90013/CH			X	
PRIMIS upper mixer handle, CHROME	PM90014/CH			X	
PRIMIS cartridge	PA06023			X	
Bath aerator mousseur, CHROME	PA09136			X	
PRIMIS click-clack waste, CHROME	PM09085/CH			X	
PRIMIS click-clack waste, MATTE BLACK	PM09085/MB			X	
ABS hand shower holder for shower rail PM10082 - PM10080, CHROME	PM01259/CH				

GENERAL SALES CONDITIONS

Field of application

These General Terms of the NDW NEUE DUSCHENWELT AG company govern all the supply relations between the parties. If there are any exceptions agreed in writing, these terms shall continue to apply to the parts that have not been subject to express exception. Any general terms of purchase drawn up by the Purchaser shall not apply in the relations between the parties unless expressly accepted in writing by NDW NEUE DUSCHENWELT AG, and in any case shall not invalidate the validity of these General Terms with which they will have to be coordinated.

Formation of the contract

The acceptance by the Purchaser of the offer or confirmation of the order by NDW NEUE DUSCHENWELT AG, regardless of how it is done, shall mean that these General Terms of Sale shall apply. Offers made by agents, representatives or sales assistants of NDW NEUE DUSCHENWELT AG shall not tie or bind it until NDW NEUE DUSCHENWELT AG itself has confirmed them in writing. The validity of the offers of sale made by NDW NEUE DUSCHENWELT AG is linked to the daily quotation of the raw materials from when the offers are made and limited to the entire supply of the amount quoted in them.

Any requests to withdraw from the contract entered into will have to be formalised within 7 working days (Saturday is not considered to be a working day) by registered letter with notice of receipt, to the following address:

NDW NEUE DUSCHENWELT AG – Niscioo Rue, 8 – CH-6534, San Vittore, Switzerland

Prices - Payments

The prices of the products refer to the offer accepted by the Purchaser or the issue of an order confirmation by NDW NEUE DUSCHENWELT AG; the prices indicated will always be the net prices, without VAT added.

The product prices will always be understood to include the delivery costs unless otherwise agreed in writing between the parties. Payments will have to be made in accordance with the instructions contained in the offer of sale or the order confirmation.

Payments of any other amounts due for any reason to NDW NEUE DUSCHENWELT AG will have to be paid at the registered office of NDW NEUE DUSCHENWELT AG. Any payments made to agents, representatives or sales assistants of NDW NEUE DUSCHENWELT AG will not be considered to have been made, and will therefore not release the Purchaser from its obligations until the relative amounts have been collected by NDW NEUE DUSCHENWELT AG. Payments will be made in euros unless otherwise agreed.

Prices expressed in other currencies besides euros may be subject to variations in relation to exchange rate fluctuations.

Any delays or irregularities in the payments will give NDW NEUE DUSCHENWELT AG the right to:

- stop the pending orders even if they do not relate to the payment in question;
- change the payment or discount mechanisms for subsequent orders, including by requiring upfront payments or issuing other guarantees;
- request, starting from the payment due date and without the need for a formal notice of default, default interest on the amount still due, at the rate provided for by prevailing laws for business transactions (Legislative Decree 231/2002 as amended), without prejudice, in any case, to NDW NEUE DUSCHENWELT AG's right to request compensation for any greater loss suffered. In addition, in said cases, any amounts due for any reason to NDW NEUE DUSCHENWELT AG shall become immediately payable.

The Purchaser will have to make full payment for the products even if objections, disputes or conflicts should arise that will only be settled after payment of the amounts due.

Retention of title

Our company shall retain ownership of the goods until the related invoice has been fully paid. The customer will do everything considered necessary to establish valid retention of title in favour of our company in its country in the most extensive form possible.

Delivery

Unless otherwise agreed, the supply of Products will be delivered to the customer's address. If the Purchaser is not up to date with its payments for other goods supplied, the terms of delivery shall not take effect and NDW NEUE DUSCHENWELT AG may delay the deliveries up until the Purchaser has paid the amounts due. The Purchaser will allow NDW NEUE DUSCHENWELT AG the standard tolerance levels on the quantities delivered. If, for reasons that cannot be attributed to NDW NEUE DUSCHENWELT AG, the Purchaser does not take delivery of the products, NDW NEUE DUSCHENWELT AG may store them and charge the Purchaser for all costs incurred.

Our delivery dates are always indicative and any delay by us will not justify cancellation of the order or replacement by the Purchaser, nor can it constitute a reason for penalties or request for compensation for damages.

At the time of delivery by the shipper, the Purchaser will carefully inspect the goods and proceed, with the means and within the deadlines required by law, to issue any reservations necessary to maintain our ability to submit claims against the shipper.

Moreover, the Purchaser will immediately inform us.

Claims must be submitted within 3 days from receiving the goods, with written confirmation. Claims will only be considered if the goods are in the same conditions as when delivered.

Justifiable delays

NDW NEUE DUSCHENWELT AG shall not be responsible for the failure to duly fulfil its contractual obligations to the extent that said non-compliance results, directly or indirectly from:

1. reasons that cannot be attributed to it and/or reasons of force majeure;
2. actions (or omissions) of the Purchaser including the failure to send the information and the approvals needed to NDW NEUE DUSCHENWELT AG to continue with its work and the consequent supply of the products;
3. failure to comply with the payment terms by the Purchaser;
4. inability to obtain the materials, components or services needed to perform the work and supply the products. If any of the above-mentioned situations should occur, NDW NEUE DUSCHENWELT AG will notify the Purchaser and also inform it of what delays may be incurred and the new date of delivery. If the delay by NDW NEUE DUSCHENWELT AG was caused by actions or omissions of the Purchaser, or by specific work of other contracting parties or suppliers of the Purchaser, NDW NEUE DUSCHENWELT AG will also have the right to a fair review of the price.

Technical standards and responsibility

The products supplied shall comply with the law and technical standards in effect.

Therefore, the Purchaser will be responsible for checking any differences between the applied standards and those of the country of destination of the products, releasing NDW NEUE DUSCHENWELT AG from any liability. NDW NEUE DUSCHENWELT AG guarantees the performance of the products it manufactures solely and exclusively in relation to uses, purposes, applications, tolerances etc. that it expressly indicates.

Moulds and equipment

The customer, if required in the offer or the order confirmation, will have to give our company a "Contribution to feasibility study expenses" for:

A) all expenses incurred by our Technical Department for the industrialisation of the products commissioned. A significant portion of said expenses is attributable to the feasibility study and the design of the equipment needed for production.

B) the costs incurred by our company to guarantee the following services:

- use of the applicable equipment exclusively for the customer who made the contribution,
- keeping said equipment in working order and always ready for use through ordinary and extraordinary maintenance,
- replacement of the equipment if it breaks and/or wears out.

In any case, the equipment will be owned exclusively by us; if the customer wishes to purchase the exclusive ownership, we shall formulate the offer for sale.

Warranty

NDW NEUE DUSCHENWELT AG guarantees that its products and accessories are free from defects of manufacturing, materials and appearance prior to delivery, if they are later unfit for their intended use. The warranty is valid for a period of 5 years from the purchase date of the products. The invoice date will be valid for such purpose. Spare parts are guaranteed for 2 years, as are the items with the surface treatments of our taps.

The NDW NEUE DUSCHENWELT AG warranty, if accepted by our organisation, will only entail replacement of defective parts with an identical or equivalent part. Application of the warranty will not give rise to an extension of its duration.

Compensation for damages

The liability of NDW NEUE DUSCHENWELT AG, whether arising from the performance or failure to perform the contract, the guarantee, unlawful actions or arising from objective responsibility, may never exceed the value of the product to which said liability is linked in any case. NDW NEUE DUSCHENWELT AG shall never be liable for loss of earnings or lost profit or for the lack of use or downtime of the product or any related machinery, for complaints by the Purchaser and/or third parties related to said damages or for any other damage including indirect or consequential.

Confidentiality

The Purchaser agrees to process the information / data / drawings / know how / documentation received and/or learned from NDW NEUE DUSCHENWELT AG as confidential, to limit the use of said confidential information / documents and related access to purposes related to the performance of the contract.

The confidential information/ documentation may not be copied without the prior written agreement of NDW NEUE DUSCHENWELT AG and all copies will be immediately returned at the request of NDW NEUE DUSCHENWELT AG.

Applicable law and jurisdiction

These General Terms and related supply contracts will be governed by the law of Switzerland.

The Court of Roveredo (Switzerland) will have exclusive jurisdiction over any disputes relating or in any case linked to the contracts to which these General Terms apply.



**NDW Neue Duschenwelt AG
/ MEC Elcetronics AG**

Via Niscioo, 8
CH-6534 San Vittore
Switzerland
Tel. +41 91 83 50 - 105

NDW Neue Duschenwelt AG

Warenlager Deutschland
In der Schmalau 4
90427 Nürnberg
Tel. +49 91 130 090 022

Tel. +41 91 835 01 05
centreclient@ndwelt.com

www.ndwelt.com

