


SWISS BOX


MULTIPLEX SYSTEM



NDW
SWISSMADE

UK





SWISSBOX

THE QUICK AND EASY INSTALLATION SOLUTION FOR BUILT-IN SHOWERS

Double seal, with water
drain groove.



Variety of
interchangeable
finishes available
(glass option shown).

Fitting screws
gasket.

Swissbox technology is a set of solutions designed to achieve a high-end product quality. The precision in the mixing of the water, the reliability of the materials and the essential design, give Swissbox all its value.

SWISSBOX

THE 2-WAY THERMOSTATIC SHOWER
SIMPLE IN INSTALLATION AND DESIGN




The extraordinary versatility of the innovative system Swissbox, solves many problems that may arise at the time of installation, also gives the possibility to the customer to be able to carry out maintenance without having to interfere with the masonry.




SWISSBOX

360° TECHNOLOGY AND PRACTICALITY



The body of the thermostatic mixer is equipped with filters that prevent impurities from entering inside the shower pipes. They can be easily inspected for cleaning.



The internal cover allows the circulation of water before the installation of the valve module. With this system you can clean the pipes from impurities before the final installation.

SWISSBOX

SECURING SWISSBOX TO THE WALL IS A SIMPLE OPERATION
THAT ALLOWS PERFECT ADJUSTMENT THANKS TO ITS
ACCESSORIES



With the use of a trim knife, cut the excess plastic flush to the wall surface.




Each fixing bracket is separately adjustable with a screwdriver up to 2 cm. The system allows you to adapt the box to the most unlikely surfaces, While the bubble allows adjustment to correct level.

SWISSBOX

THE ALTERNATIVE INSTALLATION, IS ITS CHARACTERISTIC




As illustrated, there is the option to flip the fasteners when you install the Swissbox. Fixing it either to the rear wall or forwards on to the suitable surface wall covering. Always with the advantage of the independent depth adjustment screws available on each of the four fasteners.




SWISSBOX

UNIVERSAL SYSTEM WITH AN INTERCHANGEABLE CORE



UPSIDE DOWN
for a problem immediately solved.



In case the pipes pre-existing inverted (hot-cold) the module can be turned upside down without having to disassemble the box. NB: In this case it is necessary to order the inverted plate not included in the package.




The insertion of the thermostatic unit into the box is fixed by means of special screws that are easily accessed from the front. Making correct alignment automatic.



The gasket installed, at the end, is fixed by special polyamide screws and ensures that there are no water infiltrations from the outside during the showers use. Important to make sure the Drain hole is inserted at the bottom.






All dimensions of the Swissbox and shown in millimeters.

GASKET ON THE WALL


Ensures that the installation is completely water-proof. Press the ring into the sealant (suggested by PCI Lastogum).



SWISSBOX

SIMPLE FUNCTIONS FOR A COMFORTABLE SHOWER





The use of Swissbox is simple and intuitive, always guarantees a constant jet of water and precise temperature. The essential design with retractable buttons, make it unique. The push of the buttons opens and closes the water and rotation controls its flow rate.





SwissBox, combined with
an NDW shower system,
is a marriage of design and
technology dedicated to
modern lifestyles, earning
the bathroom environment
a starring role in everyday
life for us all. .







Neue Duschenwelt AG
Zona industriale
CH - 6534 San Vittore
Phone +41 91 8350105
Fax +41 91 8350107
www.ndwelt.ch
ndw@ndwelt.com